





HOMOEOPATHIC BEDSIDE CLINICAL TIPS



Dr. Farokh J. Master

BEDSIDE CLINICAL TIPS

EDITOR-IN-CHIEF :

DR. FAROKH MASTER M.D.(Hom.)

CO-EDITORS :

DR. BALWANT WIG B.A., D.H.M.S.

DR. PIROJA BHARUCHA B.H.M.S.(Bom.)

REPERTORY AND SOFTWARE RESEARCH :

DR. JAWAHAR SHAH L.C.E.H.(Bom.)

**B. JAIN PUBLISHERS (P) LTD.
NEW DELHI, (INDIA)**

Note from the publishers

Any information given in this book is not intended to be taken as a replacement for medical advice. Any person with a condition requiring medical attention should consult a qualified practitioner or therapist.

1st edition : 1999,2002,2004

All rights are reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, mechanical, photocopying, recording or otherwise, without prior written permission of the publishers.

Price: Rs. 55.00

© Copyright with the Author

Published by :

Kuldeep Jain

For

B. Jain publishers (P) Ltd.

1921, Street No. 10, Chuna Mandi,

Paharganj, New Delhi 110 055 (INDIA)

Phones: 2358 3100, 2358 1300, 2358 0800, 2358 1100

Fax: 011-2358 0471; Email: bjain@vsnl.com

Website: www.bjainbooks.com

Printed in India by:

Unisons Techno Financial Consultants (P) Ltd.

522, FIE, Patpar Ganj, Delhi - 110 092

ISBN : 81-7021-799-7

BOOK CODE : BF- 5347

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16 1

INDEX

S.NO.	TOPIC	PAGE
1	Introduction	1
2	Tips v/s Specifics	2
3	When to use Specifics	2
4	Hazards of Specifics	3
5	What are the long term outcomes of Specific prescribing	3
6	Why does a Specific work	4
7	Why does a Specific not work	4
8	Mind	5
9	Face and Appearance	14
10	Head and Vertigo	16
11	Eyes and Vision	22
12	Ears and Hearing	32
13	Mouth	37
14	Gastro Intestinal Tract	42
15	Nose	65
16	Respiratory System	70

17	Cardiovascular System	84
18	Urinary System	95
19	Male	101
20	Female	104
21	Central Nervous System	112
22	Back	118
23	Extremities	121
24	Endocrines	130
25	Fever	133
26	Skin	135
27	Sleep	144
28	Child	145
29	Generalities	146

The
which I
vate pra

It is i
of homc
we find
we hav
more, or
guide us

Tips
moeopa
ing drop
has his
tunately
are too
could be
form.

How
gave to
which w
were Dr.
by Sund
N. Shing

I sal
helping
their cor

INTRODUCTION

The purpose of writing this book is sharing the vast experiences which I gathered during my undergraduate, post graduate and private practice.

It is impossible for one man to master all the various modalities of homoeopathy, hence, even after thorough institutional training, we find ourselves in dilemma when we start practicing the art that we have learnt. To remove this dilemma, either we try to study more, or we catch up with an experienced teacher or guru who can guide us.

Tips in homoeopathy is as old as Hahnemann. Ever since homoeopathy was introduced in 1796, the ocean of tips started forming drop by drop. I feel every homoeopathic physician in the world has his own tips to contribute which are very valuable, but unfortunately it doesn't come into existence, because, either homoeopaths are too shy or too secretive to present before the profession or it could be a lack of initiative to collect and present them in a book form.

However, I am grateful to Dr. Jahr, who for the very first time gave to the profession a book called "Forty Years of Experience" which was followed by Hering's "Domestic Physician". Subsequently, were Dr. Bhishambar Das Roy Chaudhry, followed by Clinical Tips by Sundervardhan, followed by Quick Bedside Prescriber by Dr. J. N. Shingal and Clarke's The Prescriber.

I salute to all of them for being so courageous and sincere, and helping thousands of homoeopathic doctors all over the world by their contributions.

TIPS V/S SPECIFICS

A "tip" is a helpful hint collected by experience and confirmed on hundreds of patients during one's lifetime.

"Specific" or "near specific" is a remedy prescribed on the basis that it nearly always works when given in similar circumstances, the assumption being that those circumstances produce a reasonably predictable remedy-image in the majority of cases. e.g. Arnica in physical injury.

WHEN TO USE SPECIFICS ?

Specifics seem to be most appropriately used under the following circumstances:

1. In first-aid situations.
2. In a therapeutic situation (that is when the disease is to be treated rather than the patient) where there are no clear indications for a remedy.
3. When it is impossible to take a full case for some reason and you wish to "tide the patient over", with something rather than doing nothing.
4. In high turnover prescribing situations where there is insufficient time for proper individualization.

The i
articles i
culprits v
well wish

WHAT

1. Sa

Here
organs to
from alle.
Album. as
now be d
is not can
become
referred to

2. Dru

Taking
happens a
cial drug is
inner cant
quack Zin
itching of
taking the
continued
may belong
get a prod

HAZARDS OF SPECIFICS

The lay practitioners, the people who read homoeopathic articles in newspapers, young immature homoeopaths are the culprits who play havoc with the health of their friends, relatives, well wishers and neighbours etc.

WHAT ARE THE LONGTERM OUTCOMES OF SPECIFIC PRESCRIBING ?

1. Suppression -

Here the symptoms travel inwards i.e. from less important organs to more important organs. E.g. Somebody who is suffering from allergic rhinitis, reads the news paper and takes Arsenic Album. After a few months this allergic rhinitis is much better but now he develops frequent attacks of bronchial asthma. If this state is not taken care of, then a time may come when the patient can become a chronic asthmatic. Such cases should be immediately referred to an experienced homoeopathic physician.

2. Drug Induced Disease -

Taking homeopathic medicines one after the other, frequently happens amongst laymen who abuse specifics and create an artificial drug induced disease. e.g. A person complains of itching in the inner canthus of the eye. For this complaint he is prescribed by a quack Zincum Metallicum 30 as a specific. After a few months, his itching of the inner canthi is much better, but he still keeps on taking the medicine for months together. When the medicine is continued for a long period, he may develop other symptoms which may belong to the remedy. Thus in certain sensitive cases you may get a proving of Zincum Metallicum.

WHY DOES A SPECIFIC WORK ?

When a remedy matches with the symptoms of the patient whether functional or organic, constitutional or pathological, even remotely; then the patient will definitely feel better in atleast few of his complaints. Mostly specifics are selected on very bleak indications viz. Pathological symptoms. E.g. Enlarged left lobe of the liver - Carduus Marianus in a case of cancer of the liver. Hence in such a case the physician already knows that he is palliating the case, so he is tempted to use a specific for the same condition.

Ab

Ag
alc

Ag

Ag

Ala

WHY DOES A SPECIFIC NOT WORK ?

Ala

OR

Am

WHY DOES IT WORK FOR ONE PHYSICIAN AND NOT FOR ANOTHER ?

Am

Ani

- fe

- dc

- lo

Anx

A specific will never work, if, in it's pathogenesis it does not have the action on the organs for which it is prescribed, or, for the symptoms for which it is prescribed are not the true symptoms. This happens very frequently in cases where a drug is not proved or, if a remedy is applied without proving on just emperical assumptions.

- ca

- he

Aph

E.g. Cyclosporin is known to suppress the immune system in crude dosages. Now, if one empirically uses Cyclosporin in 30 potency for any case of transplant and hopes that the transplanted organ will not be rejected, then, in some cases it may work, and in some it may not. Since the drug was never proved, we don't know the actual symptomatology; but in patients where it worked, it worked on the principle of accidental similimum.

App.

MIND

<i>Absent-mindedness</i>	Arum Triphyllum 200C, Clematis ^{B.F.}
<i>Aggressive personality in alcoholism</i>	Parabenzochinonum 30C.
<i>Agitation</i>	Aconitum 200C, Passiflora Incarnata 200C.
<i>Agoraphobia</i>	Argentum Nitricum 200C, Asthma Nosode 200C, Pneumococcin 200C.
<i>Alarm and exhaustion</i>	Phosphoric Acid 200C, Aethusa Cynapium 200C.
<i>Aloneness, aloofness</i>	Water Violet ^{B. F.}
<i>Ambition, lack of</i>	Clematis ^{B. F.} , Gorse ^{B. F.} Wild Rose ^{B. F.}
<i>Amnesia</i>	D.N.A. 200C.
<i>Animals</i>	
- fear of	Sycotic Co 200C.
- dogs	Carcinosin 200C, Sycotic Co 200C, Tuberculinum 200C.
- love for	Carcinosin 200C.
<i>Anxiety</i>	Aconite 200C, Filix 30C, Mygale Avicularis 200C.
- cause without	Filix Mas 200C.
- heart around	Adonis Vernalis 6C.
<i>Aphrodisiac</i>	Damiana Q, Muira Puama 30C, Nuphar Luteum 30C, Yohimbinum Q.
<i>Apprehensive</i>	Aspen ^{B. F.} , Mimulus ^{B. F.}

through fear	Rock Rose ^{B. F.}	Des
Artistic	Carcinosin 200C, Tuberculinum 200C.	Des due
Biting nails, children in	Antim Crud 200C.	Dis.
Bossy	Chicory ^{B. F.} , Vine ^{B. F.}	Dre
Changeable	Cerato ^{B. F.} , Scleranthus ^{B. F.}	Dys
Claustrophobia	Morgan Gaertner 200C.	Em.
Company desires	Agrimony ^{B. F.} , Chicory ^{B. F.} , Heather ^{B. F.}	Ent
Complain, never	Agrimony ^{B. F.} , Oak ^{B. F.}	Env
Concerned over details	Crab Apple ^{B. F.}	Exe
Confidence, lack of	Cerato ^{B. F.} , Larch ^{B. F.} , Scleranthus ^{B. F.}	- m aft
Criticism self	Pine ^{B. F.} , Rock Water ^{B. F.}	- pl ex
Day-dreaming	Clematis ^{B. F.} , Honeysuckle ^{B. F.}	Fail
Death desires	Agrimony ^{B. F.} , Clematis ^{B. F.}	Fair
Depression	Abies Nigra 200C, Gorse ^{B. F.} , Lachesis 200C, Mustard ^{B. F.} , Platinum Mur 200C, Psorinum 200C, Sweet Chestnut ^{B. F.} , Syphilinum 200C.	- al - ar - ca
- cause unknown	Mustard ^{B. F.}	- ca
- cloud, as of a black	Mustard ^{B. F.}	- da
- endogenous	Toxoplasmosis Nosode 200C.	- d
- exogenous	Ignatia 200C, Vaccinium 200C.	
- fear and depression	Syphilinum 200C.	

<i>Desperation</i>	Cherry Plum ^{B. F.}
<i>Despondency, embitterment due to</i>	Willow ^{B. F.}
<i>Disheartened</i>	Gentian ^{B. F.}
<i>Dreams - nightmares</i>	Chlorpromazine 200C.
<i>Dyslexia</i>	Tuberculinum 200C.
<i>Embittered</i>	Holly ^{B. F.} , Willow ^{B. F.}
<i>Enthusiastic</i>	Rock Water ^{B. F.} , Vervain ^{B. F.}
<i>Envy</i>	Holly ^{B. F.}
<i>Exertion</i>	
- mental, deterioration after	Picric Acid 200C.
- physical and mental, exhaustion after any	Selenium 200C.
<i>Failure, feeling, of</i>	Elm ^{B. F.}
<i>Fainting</i>	Aethusa 200C, Moschus 200C, Vipera Berus 200C.
<i>Fear</i>	
- alone, of being	Abel Moschus 1M, Gallic Acid 1M.
- anticipation	Aspen ^{B. F.}
- cancer, of	Clematis ^{B. F.} , Mimulus ^{B. F.} , Streptococcus Haemolyticus 200C.
- causeless	Aspen ^{B. F.}
- darkness, of	Aspen ^{B. F.} , Mimulus ^{B. F.}
- death, of	Aconite 1M, Mimulus ^{B. F.} , Moschus 200C, Rock Rose ^{B. F.} , Tabacum 200C.

- future, of	Agrimony ^{B. F.} , Mimulus ^{B. F.}	- pre
- health, for	Heather ^{B. F.} , Mimulus ^{B. F.}	- pre the
- mind, giving way	Cherry Plum ^{B. F.}	- pre
<i>Feeling</i>		- pre nur
- dryness, extreme, of the oral mucus membrane with heat and burning, where the tongue has a white mucous coating and quantities of mucous accumulate on the palate	Merc Perennis 200C.	- rel gen des
- foetal movements in the abdomen	Crocus 200C.	- rel leth slee
- fullness, eructation of air, improved by eating	Mandragora 200C.	- sal - sar
- fullness, pressure and heaviness (as if there were a stone in the stomach or as if an apple were lodged underneath the sternum)	Pulsatilla 200C.	- shi run
- heavy, dull - in the head	Ammon Benzoicum 200C.	- suf bre blu
- ice in the bones, like	Aranea Diadema 200C.	Fixe
- mouth dry and burning, especially on the tongue, which is firey red and a feeling as if there were hot food in the mouth	Sanguinaria 200C.	Frig Forg
- paralysis of, in all limbs	Gratiola 200C.	- nar
- paralysis of, with rheumatic pains in the sacrum accompanied by muscular weakness, worse when resting, getting up and starting to move	Kali Phos 200C.	- pre wit Geni Griel Hard - oth

- pressure, heart, at the	Adonis Ver 200C.
- pressure, like a weight on the chest	Cactus Q.
- pressure on chest	Ferrum Met 200C.
- pressure of, with numbness of head	Anacardium Or 200C.
- relaxation and general tiredness with a desire to lie down	Gelsemium 200C.
- relaxation, tiredness and lethargy with very restless sleep and frequent waking	Aranea Diadema 200C.
- salty lips	Streptococcus Haemolyticus 200C.
- sand in the eyes	Ammon Bromatum 200C.
- shivering of, where chill runs up and down the back	Gelsemium 200C.
- suffocation with asthmatic breathlessness and violent blushing	Amyl Nitrosum 200C.
<i>Fixed Ideas</i>	Helleborus 200C, Thuja 200C.
<i>Fright, consequences of</i>	Ignatia 200C, Zinc Met 200C.
<i>Forgetfulness</i>	
- names and persons, of	Chlorum 200C.
- prejudice and heavy head, with	Ginseng Q.
<i>Genial, joyous</i>	Agrimony ^{B. F.}
<i>Grief</i>	Star of Bethlehem ^{B. F.}
<i>Hard masters</i>	Beech ^{B. F.} , Chicory ^{B. F.} ,
- others to	Impatiens ^{B. F.} , Vervain ^{B. F.} , Vine ^{B. F.}

- themselves, to Hate	Rock Water ^{B. F.}	- self
- jealousy, through	Holly ^{B. F.}	Mela
- resentment, through	Willow ^{B. F.}	Mem
Homesickness	Capsicum 200C.	
Hopelessness, extreme	Sweet Chestnut ^{B. F.}	
Hypochondriasis	Agnus Castus 200C, Kali Phos 200C, Tuberculinum 200C, Zinc Valeriana 200C.	Nerv
Hysteria	Artemisia Vulgaris 200C, Castoreum Sibiricum 200C, Crocus 200C, Kali Phos 200C, Tarentula 200C.	Nerv
Impatience	Impatiens ^{B. F.} , Chestnut Bud ^{B. F.}	
Inadequacy, feeling of	Elm ^{B. F.}	- ap
Instability	Scleranthus ^{B. F.}	- as dis
Interest, lack of, embitterment through	Willow ^{B. F.}	- hc ex
Interference, by talking of self	Heather ^{B. F.}	- te Nerv
Jealousy	Holly ^{B. F.}	- ai
Korsakoff's Psychosis (alcoholics)	Agaricus 200C, Veratrum Alb 200C.	- ca
Lethargy	Aranea Diadema 200C, Succinic Acid 200C.	- cl - n
Martyrs		Nig
- health, to	Heather ^{B. F.}	
- own ideals, to	Rock Water ^{B. F.}	Ov
- resentment, to	Willow ^{B. F.}	ins

- self-pity, to	Chicory ^{B. F.}
<i>Melancholia, chronic</i>	Proteus 10M.
<i>Memory weakness</i>	Phosphoric Acid 200C, Ambra Grisea 200C, Arg Nit 200C, Conium 200C, Euphrasia 200C, Iberis Amara 200C, Kali Brom 200C, Kali Phos 200C, Oleander 200C, Rosmarinus Officinalis 200C, Tuberculinum 200C.
<i>Nervous irritability</i>	Absinthium 200C, Succinuc Acid 200C, Bacterium Proteus 200C, Cypripedium Pubescens 200C.
<i>Nervousness</i>	Ferr Phos 200C, Kali Phos 200C, Mimulus ^{B. F.} , Mygale Avicularis 200C.
- appearance of	Sepia 200C.
- asthenic fever with dizziness with anemia	Ferr Met 200C.
- hormonal dysfunction exists, if	Aquilegia 200C.
- tendency towards	Asafoetida 30C.
<i>Neuroses</i>	
- anxiety	Haloperidol 30C, Levomepromazine 200C.
- cardiac	Hypophysis Posterior 200C.
- climacteric	Sepia 200C.
- narcissism	D.N.A. 200C.
<i>Nightmares</i>	Rock Rose ^{B. F.} , Streptococcus Haemolyticus 200C.
<i>Oversensitive to fancied insults</i>	Holly ^{B. F.}

<i>Overwork, intellectual</i>	R.N.A. 200C.
<i>Panic</i>	Rock Rose ^{B.F.}
<i>Possessiveness</i>	Chicory ^{B.F.} , Heather ^{B.F.}
<i>Pride</i>	Water Violet ^{B.F.}
<i>Procrastination</i>	Larch ^{B.F.} , Mimulus ^{B.F.} Scleranthus ^{B.}
<i>Retardation, mental</i>	D.N.A. 200C.
<i>Resigned</i>	Gorse ^{B.F.} , Wild Rose ^{B.F.}
<i>Schizophrenia, acute</i>	Haloperidol 30C.
<i>Self-blame</i>	Pine ^{B.F.}
<i>Self-centred</i>	Chicory ^{B.F.} , Heather ^{B.F.} , Willow ^{B.F.}
<i>Self-distrust</i>	Cerato ^{B.F.}
<i>Self-pity</i>	Chicory ^{B.F.} , Heather ^{B.F.} , Willow ^{B.F.}
<i>Shock</i>	Star of Bethlehem ^{B.F.}
<i>Slow</i>	
- indecision, due to	Scleranthus ^{B.F.}
- lack of interest, due to	Clematis ^{B.F.}
- learning in	Chestnut Bud ^{B.F.}
<i>Temper Tantrums</i>	Proteus 1M.
<i>Terror</i>	Rock Rose ^{B.F.}
<i>Tics</i>	Histamine Hydrochloride 30C.
<i>Tormented</i>	
- fears by	Aspen ^{B.F.} , Rock Rose ^{B.F.}

- hide
Unce.
- aml
- self
- stre
Vexo
Wee
Will
- str
- w

- hidden worries by	Agrimony ^{B. F.}
<i>Uncertainty</i>	
- ambitions, of	Oat ^{B. F.}
- self-distrust, through	Cerato ^{B. F.}
- strength, lack of through	Hornbeam ^{B. F.}
<i>Vexations</i>	Holly ^{B. F.} , Pine ^{B. F.}
<i>Weeps easily</i>	Chicory ^{B. F.} , Heather ^{B. F.}
<i>Will</i>	
- strong	Beech ^{B. F.} , Chicory ^{B. F.} , Rock Water ^{B. F.} , Vervain ^{B. F.} , Vine ^{B. F.}
- weak	Centaury ^{B. F.}

FACE + APPEARANCE

<i>Angioma of face</i>	Abrotanum 1M.
<i>Bell's Palsy</i>	Cadmium Sulph 200C, Chlorpromazine 200C.
<i>Cheek and facial bones, pain in</i>	Rhus Tox 200C
<i>Eczema of face</i>	Teramycin 200C.
<i>Epithelioma of face</i>	Rumex Acetosa Q (local application).
<i>Eruptions, vesicular or pustular, on face and throat, like roseola, accompanied by itching and burning</i>	Grindelia Robusta Q
<i>Flushing of</i>	Amyl Nitrosum 200C.
<i>Hot face and head, with cold feet and fingers</i>	Ferrum Met 200C
<i>Impetigo with intense itching</i>	Rhus Tox 200C.
<i>Inflammation of temporo-maxillary joint</i>	Bryonia 200C.
<i>Neuralgia, Trigeminal</i>	Chlorpromazine 200C, Coccinella 1M, Gnaphalium Polycephalum 200C, Hydrocotyle Asiatica 200C, Plantago Q (local application), Salicylic Acid 200C, Syphilinum 200C.
- eyelids of, twitching, with	Mag Phos 200C.
- headache extending down to the teeth, improved by cold water	Ferrum Met 200C.

<i>Nodes on the forehead</i>	Ledum Pal 200C.
<i>Oedema</i>	Ammon Benzoicum 200C.
<i>Paralysis facial</i>	Calc Iod 200C, Causticum 200C, Gelsemium 200C.
<i>Parotitis</i>	Rhus Tox 200C.
- epidemic	Mumps Nosode 1M.
- state after	Coxsackie Virus Nosode 200C.
<i>Puffiness of face</i>	Kali Carb 200C.
- expression, with foolish and nervous trembling	Bothrops Lanceolatus 200C.
- glabella of	Fluoric Acid 200C.
<i>Tumours. osseous, of the jaw</i>	Astragalus Escapus 6C.

HEAD + VERTIGO

Alopecia

Arnica 3C, Artemesia Vulgaris 6C, Ceanothus Q, D.N.A. 200C, Graphites 200C, Hippozaeninum 200C, Hypophysis Posterior 200C, Leprominium 200C, Morgan Pure 200C, Phosphoric Acid Q, Rosemarinus Q, Streptococcus Hemolyticus 200C, Sycotic Co 200C, Thallium 6C, Wiesbaden 10M.

- areata

Leprominium 200C.

Barber's itch

Calcarea Carb 6C, Graphites 30C, Mezerium 1M, Phytolacca Q (local application), Radium Brom 6C, Sulphur Iod 30C.

Brain

- fatigue

Zinc Pic 1M.

- functional weakness

Cerebrum 6X, Ginkgo-Biloba Q.

- softening

Astragallus Excapus 30C.

Colds, repeated in the head

B.C.G. 30C.

Congestion

Mandragora 200C.

Cradle cap

Aethiops Antimonialis 200C.

Dandruff

Ceanothus Q, Cochlearia Armoracia Q (local application), Gratiola 30C, Kali Sulph 200X, Lycopodium 200C, Petroleum 200C, Pilocarpus 30C, Quillaya Saponaria Q, Rosemarinus Q.

Dizziness

Ambra Grisea 200C, Argentum Nit 200C, Ginseng Q, Hyoscyamus 200C, Oenanthe Crocata 200C, Salicylic Acid 200C.

- do
wil

- Me

Dull

Ecze

Eruj

- cr

- sc

- sn

th

Gre

hai

bac

Hai

- h

fe

- h

- lc

Ha

- n

- t

- downward movements, with Borax 200C.
- Meniere's Syndrome and Tabacum 200C.
- Dull and dry hair* Thuja 30C.
- Eczema capitis* Quercus Glandis Spiritus 200C,
Vinca Minor Q (local application).
- Eruptions*
- crusty eruptions on head Spongia 200C.
- scalp on Quercus Glandis Spiritus 30C.
- small boils on the head that do not mature Sanicula 30C.
- Greying and falling out of hair with eruptions on the back of the neck* Sulphuric Acid 200C.
- Hairfall*
- hairfall in menopausal females Hypothalamus 200C.
- hard, brittle hair with Graphites 200C.
- loss of Fluoric Acid 200C, Graphites 200C, Kali Phos 200C, Plumbum Met 200C, Selenium 200C, Staphysagria 200C, Syphilinum 200C, Thallium Aceticum 200C.
- Hair*
- matted Vinca Minor 30C.
- tonic Arnica Q, Cantharis Q, Ceanothus Q, Jaborandi Q. (Mix all mother tinctures in equal proportions and mix it with three times the quantity in pure olive oil. Keep it overnight and next day shampoo it with Pantene Pro-V Shampoo or Flex for dry hair).

<i>Hydrocephalus</i>	Apocynum Q, Atropine Sulph 200C, Bacillinum 200C, Calc Phos 10M, Cuprum Aceticum 30C, Iodoform 30C, Kali Iod 6C, Tuberculinum Koch 200C, Veratrum Viride 30C, Zincum Met 10M.
- acute	Cuprum Met 200C, Helleborus 200C.
- chronic	Calc Iod 200C, Hedera Helix 200C.
<i>Injury to head</i>	Arnica 10M, Cicuta Virosa 10M, Natrum Sulph 10M, Opium 10M.
<i>Lice in hair</i>	Staphysagria Q (local application - apply 10ml with equal quantity of water and scrub it gently on the scalp. Allow it to remain overnight. Shampoo the hair next day.).
<i>Oily face, as if grease is spread on face</i>	Natrum Mur 10M.
<i>Pain or migraine or megrim</i>	Absinthium Q, Aranea Diadema 30C, Atropine Sulph 200C, Belladonna 10M, Berberis Vulgaris 10M, Ca'carea Phos 10M, Chionanthus Q, Coffea 10M, Damiana Q, Epiphegus 6C, Gelsemium 1M, Glonoine 1M, Histamine Hydrochloride 200C, Ignatia 200C, Indium 200C, Iris Versicolor 30C, Juglans Regia 30C, Lolium Temp 30C, Mag Phos 10M, Melilotus 200C, Meningococcinum 1M, Menispermum Q, Menyanthes 1M, Onosmodium 200C, Oreodaphne Q (olfaction),

Passiflora Q, Paulina 30C,
Pneumococcin 200C, Ptelea
Trifoliata 30C, Salol 30C,
Streptococcus Haemolyticus 200C,
Tabacum 200C, Tanacetum Q,
Usnea Barbarata Q, Vaccinium
200C.

- band, as if, were tied around the head Ammon Brom 200C.
- blindness, with temporary Gelsemium 200C.
- bronchial asthma, and Lachesis 200C.
- cervical, exhaustion, with Sepia 200C.
- chronic Silicea 200C.
- covering the head and lying quietly, ameliorates Glonoine 200C.
- eye (right), above or near the Ammon Brom 200C, Kalmia Lat 200C.
- haemorrhages (nose bleed, haemoptysis, haemorrhoidal bleeding, onset of menstruation ameliorates) Melilotus 200C.
- haircut after Natrum Pyruvicum 200C.
- hemicrania Sepia 200C.
- hemicrania, apoplexy, in Syphilinum 200C.
- hypertensives in Belladonna 10M, Glonoine 10M, Spigelia 10M, Veratrum Viride 10M.
- instantaneous head reliever after intermittent fever Leucas Aspera Q (put one drop in each nostril).

- left sided	Lachesis 200C.
- menstrual	Pneumococcin 1M.
- nail were driven in, as if	Ammon Brom 200C.
- nervous	Acetic Acid 200C.
- occipital	Vitamin A 200C.
- occipital, pressing	Kali Phos 200C.
- occipital, violent, unbearable	Variolinum 200C.
- rheumatic	Kali Sulph 200C.
- right eye, over	Sanguinaria 200C.
- right sided, after dietary errors	Chelidonium 200C.
- right sided, like migraine	Sanguinaria 200C.
- students or teachers headache	B.C.G. 1M.
- Sunday headache	Stannum Met 10M, Sulphur 10M.
- uraemic	Ammon Benzoicum 200C.
- urination copious, ameliorates	Gelsemium 200C.
<i>Premature graying of hair</i>	Emb-elia Ribes Q, Salvia Officinalis Q (local application).
<i>Temporal arteritis</i>	Pothos Foetidis 30C.
<i>Vertigo</i>	Ambra Grisea 200C, Bromine 200C, Conium 200C, Formalin 30C, Granatum 30C, Iris Versicolor 30C, Natrum Salicyclum 30C, Nux Vom 10M, Physostigma 6C, Ruta 1M, Terminalia Chebulia 30C.

- rotary	Conium 200C.
- vertigo + nausea	Ergotinum 200C, Histaminum 200C, Lac-C 200C, Lac-Hum 200C, Leprominium 200C, Penicillinum 200C, Psorinum 200C, Tuberculinum 200C.
- vertigo + nausea + vomiting + sleeplessness	Theridion 200C.
<i>Warts on the forehead</i>	Castor Equi 200C.
<i>Wens</i>	Calcarea Carb 10M, Graphites 200C, Mezerium 200C, Phytolacca Decandra Q (local application).
<i>White spots on face</i>	Piper Methysticum 30C, Torula Cerevisiae Q (local application).

EYES + VISION

Sphere of action

- Eyes	Cannabis Indica, Cineraria (local application), Colchicum, Heloderma, Jequirity, Lithium Chlor, Physostigma, Platanus.	Burn Cata.
- Optic Nerve	Argentum Nitricum, Solanum Lycopersicum, Plumbum Met.	
Absorption of fragments of lens after cataract surgery	Senega 30C.	- cap
Accommodation, strain, children especially	Lac-D 200C.	- ini
Amaurosis	Plumbum Met 200C.	- sei
- retinal haemorrhage, with	Bothrops 200C.	Cha
Asthenopia or weak or painful vision	Agaricus 30C, Conium 30C, Jaborandi 6C, Lac-Fel 200C, Onosmodium 30C, Ruta 1M, Thyroidinum 200C, Vaccinotoxinum 200C.	Colc dim Com Con
Astigmatism	Tuberculinum 1M.	Con
Atrophy of retina and restores power of weakened Optic Nerve due to excess tobacco or liquors	Nux Vom 200C.	- ca - ha Con
Big, feeling as if they are too big and would be pressed out of the head	Comocladia Dentata 30C.	
Black rings around eyes	China 1M.	
Blepharitis	Chrysarobinum 30C, Digitalis 30C, Dysentery Co 200C, Graphites 30C, Hepar Sulph 1M, Hippuric Acid 200C, Histaminum 200C,	

	Influenzinum 200C, Medorrhinum 200C, Morgan Gaertner 200C, Psorinum 200C, Tuberculinum Aviare 200C, V.A.B. 200C.
<i>Burning eyes</i>	Kali Iod 30C.
<i>Cataract</i>	Agaricus 300C, Baryta Carb 1M, Calcarea Flour 30X, Cineraria Mar 200C, Hedera Helix 200C, Mag Carb 30C, Naphthaline 200C, Rubella Nosode 200C.
- capsular	Ammonium Mur 30C, Colchicum 30C.
- initial stages	AmmoniumCarb 200C, Haloperidol 30C.
- senile	Cineraria Maritima Q (local application).
<i>Chalazion</i>	Thuja 200C.
<i>Colour Blindness, sudden dimness of sight</i>	Santoninum 30C.
<i>Commencing Optic Atrophic</i>	Atoxyl 30C.
<i>Complete Blindness</i>	Strychninum Nitricum 30C.
<i>Conjunctival</i>	
- catarrh	Argentum Nit 200C.
- haemorrhage	Bothrops Lanceolatus 200C.
<i>Conjunctivitis</i>	Aconite 200C, Apis 200C, Corticotrophin 200C, D.N.A. 200C, Dysentery Co 200C, Euphrasia 200C, Jequirity 30C, Kali Bich 200C, Kali Sulph 200C, Leptospira 200C, Lyssin 200C, Merc Cor 30C, Merc Sol 200C, Morgan Pure 200C, Paratyphoidinum B 200C, Penicillin 200C, Pulsatilla 200C, Rhus Tox 200C, Sycotic Co 200C,

	Syphilinum 200C, Thyroidinum 200C, Tuberculinum 200C, Vaccinium 200C, V.A.B. 200C.	Diplo
- acute	Euphrasia Q.	- rea
- allergic	Cortisone 30C, Equisetum 30C.	Dry,
- catarrhal	B.C.G. 30C.	
- chronic	Argentum Nit 30C, Graphites 30C, Guarea 30C, Silicea 200C, Sulphur 200C, Syphilinum 200C, Teramycin 200C.	Dust mor. Ecz
- phlyctenous	Calc Iod 200C.	Exo
- purulent	Ferrum Iod 200C, Jequirity Q (local application).	
<i>Corneal</i>		Eye
- abrasion	Syphilinum 200C.	de dis
- opacity	Cornea 200C, Leprominium 200C, Mag Carb 10M, Naphthaline 200C, Tuberculinum 200C, Zinc Sulph CM.	Ey
- opacity with cataract	Cineraria Mar Q. (local application, as drops).	-
- phlyctenular	Syphilinum 200C.	-
- spots	Calc Fluor 200C, Nitric Acid 200C.	-
- staphylomatous protrusion of the cornea with protrusion of the iris with swelling of the lens	Colchicum 200C.	-
- ulceration	A.C.T.H. 200C, Aurum 200C, Conium 200C, Euphrasia 200C, Morgan Gaertner 200C, Nitric Acid 200C, Tuberculinum 200C.	- I

<i>Diplopia</i>	Agaricus 200C, Belladonna 200C, Gelsemium 200C, Hyoscyamus 200C, Oleander 200C.
- reading from	Lyssin 200C.
<i>Dry, in general</i>	Cortisone 200C, Histaminum 200C, Lac-C 200C, Leprominium 200C, Medorrhinum 200C.
<i>Dust, sensation of, in the morning</i>	Bursa Pastoris 200C.
<i>Eczema of eyelids</i>	Bacillinum 200C, Borax 30C, Graphites 30C, Silicea 200C.
<i>Exophthalmos</i>	Pyrogen 200C, Thyroidinum 200C, Thyreotropic Hormone 200C.
<i>Eye diseases, when dependent upon kidney disease</i>	Terebinthina 200C.
<i>Eyelashes, fall off</i>	Leprominium 200C, Medorrhinum 200C.
<i>Eyelid</i>	
- drooping	Gelsemium 200C.
- lower, hanging down like a water-bag	Apis Mell 200C.
- oedema of	Ammon Benzoicum 200C.
- sack-shaped oedematous swelling	Kali Carb 200C.
- spasms	Jaborandi 200C.
- thickly stuck together	Baryta Oxalsuccinica 30C.
- twitching spasmodically of the upper eyelid	Mezereum 200C.
<i>Eye Strain</i>	Ruta Q (eye bath - 2 drops in 50ml of pure distilled water).

<i>Field of vision diminished</i>	Benzinum dinitricum 30C, Titanum 30C.	- iriti
<i>Fistula lachrymalis</i>	Silicea 200C.	
<i>Flickering and dark spots in the field of vision with temporary paralysis of the retina</i>	Hyoscyamus 200C.	- iriti
<i>Glare aggravates</i>	Phosphorus 200C, Silicea 200C.	- iriti syp
<i>Glaucoma</i>	Aurum Met 1M, Corpus Vitreum D4 (eye drops), Cortisone 200C, Gelsemium 200C, Merc Sol 200C, Osmium 30C, Physostigma 30C, Rhododendron 30C, Spigelia 200C, Streptococcinum 200C.	- ker - nei
- chronic	Sarothamnus 200C.	- uve
<i>Haemorrhage</i>		<i>Injur</i>
- anterior chamber of eye after iridectomy	Ledum Pal 10M.	<i>Itchi</i>
- sub conjuntival	Aconite 1M, Arnica 1M, Bothrops Lanceolatus 200C, Hamamelis 1M.	- coi - inr
<i>Halo around the eyes</i>	Abrotanum 200C.	- ey
<i>Hemiopia</i>		<i>Kerc</i>
- horizontally	Tuberculinum 200C.	
- vertically	Sycotic Co 200C, Tuberculinum 200C.	- ph anc
<i>Inflammation of eyes</i>	Hippuric Acid 200C, Mezereum 200C, Nitric Acid 200C, Psorinum 200C.	<i>Kerc</i> <i>Mac</i>
- dacryocystitis	Hippuric Acid 200C.	<i>Mei</i>
- iridocyclitis	Leprominium 200C, Toxoplasma Gondii 200C.	

- iritis	Euphrasia 200C, Grindelia Robusta Q, Leprominium 200C, Morgan Pure 200C, Syphilinum 200C, Vaccinotoxinum 200C.
- iritis, chronic	Absinthinum D1, Asafoetida 200C, Lac-Fel 200C, Resina Laricis D3.
- iritis, rheumatic	Colchicum 200C.
- iritis, rheumatic and syphilitic	Kalmia Lat 200C.
- keratitis, phlyctenular	Morgan Pure 200C, Pyrogen 200C, Vaccinotoxinum 200C.
- neuritis, optic	Morbilinum 200C, Toxoplasma Gondii 200C.
- uveitis	Toxoplasma Gondii 200C.
<i>Injuries to the eye</i>	Arnica 1M, Ledum Pal 1M, Symphytum 1M.
<i>Itching of</i>	
- corners of eyes	Fluoric Acid 200C.
- inner canthi	Guarea 200C.
- eyelids	Hepar Sulph 200C.
<i>Keratitis</i>	Ars Iod 200C, Merc Cor 200C, Merc I F 200C, Merc Sol 200C, Rhus Tox 200C, Tuberculinum 200C.
- photophobia, with severe and scrofulous conjunctivitis	Aethiops Antimonialis 200C.
<i>Keratoconjunctivitis</i>	Listeriosis Nosode 200C.
<i>Macular Degeneration</i>	Chrysolith D30, Retina D30.
<i>Meibomian Cysts</i>	Graphites 200C, Hepar Sulph 200C, Kreosote 200C, Staphysagria 200C,

	Staphylococcus 200C, Thuja 200C.	- par
<i>Myopia</i>	Oleum Animale 200C, Physostigma 200C, Pilocarpine 200C, Viola Odorata 200C, Vitamin A 200C.	Orbit
- children in	Baryta Oxalsuccinica 200C.	Over
- pains in the eyes, with	Viola Odorata 200C.	burn
<i>Mucosal catarrh of the eyes</i>	Arum Maculatum 200C.	Pain
<i>Muscae Volitantes</i>	Crocus 200C, Dysentery Co 200C, Petroleum 200C, Psorinum 200C.	- my
<i>Neuralgia ciliary</i>	Comocladia Dentata 200C, Mezereum 200C, Spigelia 200C.	- me
- right, ciliary neuralgia of the, particularly after over-exertion as if the eye would burst	Prunus Spinosa 200C.	- tu
<i>Neuritis, optic</i>	Sulfanilamide 200C.	Par
<i>Night-blindness</i>	Vitamin A 200C.	Pho
<i>Nystagmus</i>	Menyanthes 200C.	- ch
<i>Ophthalmia</i> (redness of eyes)	Jequirity 200C.	- la
- chronic	Psorinum 200C.	di
- measles after, especially if granulations exist	Pulsatilla 200C.	Phl
- neonatorum, acute	Syphilinum 200C.	- p
- scrofulous	Lachesis 200C.	Pre
<i>Optic nerve</i>		Pte
- atrophy	Atoxyl 200C, Nervus Opticus 200C, Syphilinum 200C.	Pu
		Re
		- (

- paralysis (early)	Pulsatilla 200C.
<i>Orbital cellulitis</i>	Rhus Tox 200C.
<i>Over-exertion of the, with burning like fire</i>	Ruta 200C.
<i>Pains in eyes</i>	
- myopia, in	Viola Odorata 200C.
- movement, on	Corallium Rubrum 200C.
- turning, when	Cimicifuga 200C.
<i>Paralysis of eye muscles</i>	Baryta Oxalsuccinica 30C.
<i>Photophobia</i>	Agaricus 30C, Conium 30C, Kali Iod 30C, Nitric Acid 30C, Vitamin A 200C.
- chronic eye disorders, with	Silicea 200C.
- lachrymation, dim sighted	Conium 1M.
<i>Phlyctenula, formation of</i>	Rhus Tox 200C.
- photophobia with	Syphilinum 200C.
<i>Pressure in eye increased</i>	Natrum Pyruvicum 200C, Paris Quad 200C.
<i>Pterigium</i>	Psorinum 200C, Ratanhia 1M, Rhus Tox 1M, Sulphur 1M, Zincum Met 1M.
<i>Ptosis</i>	Botulinum 200C, Morbillinum 200C, Syphilinum 200C, Vipera 200C.
<i>Pupil dilatation</i>	Belladonna 200C, Hyoscyamus 200C, Stramonium 200C.
<i>Retinal</i>	
- degenerative disease	Para-Benzochinonum 200C.

- detachment	Abel Moschus 1M, Benzinum dinitricum 200C, Naphthalin 30C, Retina D30.
- diseases	Ubiquinone 200C.
- haemorrhage	Bothrops 200C, Salicylic Acid 200C, Sulfanilamide 200C.
- haemorrhage, amaurosis with	Bothrops Lanceolatus 200C.
- inflammation (chorioretinitis)	Toxoplasma Gondii 200C.
- senile degeneration	Majeptil 200C.
- thrombosis of Central Retinal Vein	Bacillus No.7. 200C.
<i>Retrobulbar neuritis</i>	Iodoform 1M.
<i>Scotoma</i>	Agaricus 200C.
<i>Squint</i>	
- brain disease, after	Kali Phos 1M.
- brain disease, during	Stramonium 1M.
- convergent	Cyclamen 200C, Cicuta 200C.
- dentition during	Alumina 30C, Gelsemium 200C, Helleborus 1M, Stramonium 200C Tuberculinum 1M.
- divergent	Colocynth 200C, Jaborandi 200C, Natrum Mur 1M.
- upward	Benzoic Acid 30C, Jaborandi 30C.
<i>Styes / Hordeolum</i>	Adeps 200C, Boric Acid 6C (local application - 5 drops in 25ml of water), Baryta Oxalsuccinica 200C, Graphites 200C, Hepar

- ap]

- chu

- rec

Tars

Tum

Visio

- cloi

wex

Vitre

Xeroj

	Sulph 200C, Kreosote 200C, Merc Sol 200C, Pulsatilla 200C, Staphysagria 200, Staphylococcus 200C, Sulphur 200C.
- appearing slowly	Penicillinum 200C.
- chronic, hard, lingering	Lappa Arctium 30C.
- recurrent	Anthracinum 200C, Ferrum Pyrophos 30C, Psorinum 200C, Tuberculinum 200C.
<i>Tarsal tumours or cysts</i>	Ferrum Pyrophos 30C, Platanus 200C, Zincum Met 1M.
<i>Tumour of eyeball</i>	Symphytum 200C.
<i>Vision</i>	
- cloudy, periodic	Cactus 30C., Belladonna 200C, Glonoine 200C,
<i>weak sight, with</i>	Lithium Carb 200C.
<i>Vitreous Opacity</i>	Morgan Gaertner 200C, Psorinum 200C, Sycotic Co 200C.
<i>Xerophthalmia</i>	Leprominium 200C.

EARS + HEARING

Sphere of action

- auditory canal or external ear Aethiops, DI-Malicum Acidum, Pulsatilla, Tellurium, Ubiquinone.
- chocular affections China Ars, China Sulph, Salicylic Acid.
- eustachian tube Kali Mur, Merc Dulcis, Rosa Damascus.
- labyrinthine affections Chenopodium, China Ars, Salicylic Acid.
- vestibulocochlear or auditory nerve affections Phosphorus, Sulphur, Syphilinum.

Autophony

Belladonna 6C.

Boils

- auditory canal Calcarea Picrata 30C.
- pinna on Calcarea Picrata 30C, Hepar Sulph 200C, Sulphur 1M.

Buzzing in ears

Hydrastis 30C, Iris Ver 30C, Petroleum 3C J.

Deafness

Agraphis Nutans 30C, Calc Fluor 200C, Chenopodium 200C, Elaps 30C, Cherianthus Cheiri 30C, China Sulph 200C, Kali Iod 200C, Kali Mur 200C, Rosa Damascus 30C, Verbascum 30C.

- low grade fevers and chronic diarrhoea, with Penicillin 200C, Streptomycin 200C, Teramycin 200C.
- nervous deafness Levomepromazine 200C, Streptomycin 200C.
- progressive, due to deficient bone condition Chenopodium Q.

Disease.

Eczema

Effusio
into lat

Eruptio

- chror

- crack
erupti
with f

- ecze

- flaky

Eusta

- cata

- infl

Fluid
ear,
com
affec
acc

Fun

Hae

Hea

- cc
di

- di

- d
ot

<i>Diseases in childhood</i>	Baryta Oxalsuccinica 200C.
<i>Eczema of ears</i>	Sarsaparilla 200C, Scrofularia Nodosa 200C.
<i>Effusion, serous or bloody into labyrinth</i>	Chenopodium Q (local application)
<i>Eruption</i>	
- chronic weeping	Kreosotum 200C, Otitis Media Nosode 200C.
- cracked, sore and crusty eruptions behind, associated with foul-smelling discharges	Graphites 200C.
- eczema, sore in	Petroleum 200C.
- flaky, behind ears	Bursa Pastoris Q.
<i>Eustachian Tube</i>	
- catarrh	Baryta Carb 200C, Hydrastis 200C, Merc Dulcis 200C, Rosa Damascus 200C.
- inflammation	Ferrum Met 200C.
<i>Fluid retention of the middle ear, with a feeling of complete deafness of the affected ear, possibly also accompanied by tinnitus</i>	Euphorbium 200C.
<i>Fungus</i>	Merc Sol 200C, Sepia 200C.
<i>Haematoma auris</i>	Belladonna 1M.
<i>Hearing</i>	
- confused, cannot tell the direction of sound	Carbo Animalis 30C.
- difficult	Salicylic Acid 200C.
- difficult, with purulent otitis	Calc Iod 200C.

- impaired, menses during	Calc Carb 200C, Kreosote 200C.	- ch
<i>Inflammation</i>	Mezereum 200C.	- ex
- external auditory canal	Dl-Malicum Acidum 200C, Pulsatilla 200C, Tellurium 200C, Ubiquinone 200C.	- ex
<i>Mastoiditis</i>	Aurum Iod 200C, Capsicum 200C, Plantago Major Q, Pyrogen 1M, Ubiquinone 200C.	- m
- caries of os mastoideum	Nitric Acid 200C.	- m
- right sided	Mag Phos 200C.	- n
<i>Meniere's disease</i>	Arg Nit 200C, Bryonia 200C, Carboneum Sulph 200C, Chenopodium Anthelminticum 200C, China Sulph 200C, Salicylic Acid 200C, Sulfanilamide 200C.	- n
- dizziness, and	Tabacum 200C.	- p
- migraine-like signs, nausea and vomiting, with	Cocculus 200C.	Otc
<i>Middle ear</i>		Otc
- catarrh	Chamomilla 1M.	Otc
- hydrops	Jaborandi Q.	
- inflammation, with foul smelling discharge	Kali Phos 6X.	Pa
- otitis, chronic	Aconite 200C, Merc Sol 1M.	
<i>Otitis</i>	Belladonna 200C.	
- acute	Capsicum 30C.	
- catarrhal	Tellurium 200C.	- c
- children in	Ignatia 200C.	v

- chronic	Kreosote 200C.
- external	Cinnabaris 30C, Tellurium 200C.
- external, chronic	Borax 200C.
- media	Belladonna 200C, Chenopodium 6C, Ferrum Phos 200C, Kali Mur 200C, Merc Sol 200C, Skookum Chuck 200C.
- media, chronic	Thymuline 9C, Tuberculinum 200C.
- media, recurrent	Flavus 200C.
- moderate	Chamomilla 200C, Ferr Met 200C, Ferr Phos 200C, Lachesis 200C, Plantago Major Q.
- pain, violent attacks, with	Chamomilla 200C.
<i>Otorrhoea</i>	Hydrastis 200C, Lycopodium 200C.
<i>Oto-sclerosis</i>	A.C.T.H. 200C, Calc Fluor 200C, Mandragora Officinarum 200C, Syphilinum 200C, Thiosinaminum 200C, Thyroidinum 200C, Ubiquinone 200C.
<i>Otorrhoea, chronic</i>	Calc Carb 200C, Lycopodium 200C, Silicea 200C, Sulphur 200C.
<i>Pain or earache</i>	Aconite 200C, Belladonna 200C, Capsicum 200C, Chamomilla 200C, Hepar Sulph 200C, Merc Sol 200C, Plantago Q (local application - 2 drops in 8 drops of water), Verbascum Q (local application).
- child wakes up suddenly with earache	Aconite 1M, Ferrum Phos 1M.

- cold, with any	Dulcamara 200C.
- obscure origin, of	Chamomilla 1M.
<i>Perforation of tympanic membrane</i>	Capsicum 200C, Hepar Sulph 200C, Lapis Alba 30C, Silicea 200C, Tuberculinum 200C.
<i>Scurfs on and behind ears</i>	Hepar Sulph 200C, Sarsaparilla 200C.
<i>Sensitive to noise, it penetrates the body, especially the teeth</i>	Asarum Europaeum 200C, Theridion 200C.
<i>Tinnitus</i>	Baryta Carb 30C, Baryta Mur 30C, Calc Carb 200C, China Sulph 3X, Cimicifuga 30C, Ferrum Picricum 30C, Iris 200C, Natrum Salicylicum 30C, Os Petroselinum 200C, Thiosinaminum 30C.
- obstinate	Ergotin 30C.
<i>Wax, accumulation of</i>	Baryta Oxalsuccinica 200C, Causticum 200C, Conium 200C.

Sphen

- mas
mus

*Anae
and t
alcoh*

Apht

Car

- fe

- to

MOUTH

Sphere of action

- masseters and facial muscles

Angustura Vera.

Anaesthesia of the mouth and throat - ailments from alcoholic drinks in excess

Kali Brom 30C, Hyoscyamus 200C.

Aphthous stomatitis

Alloxan 30C, Alumina 200C, Ars Alb 200C, Borax 200C, Bryonia 200C, Capsicum 200C, Condurango 6C, Cornus 6C, Hydrastis Mur 3X, Kali Carb 200C, Kali Chlor 30C, Kali Chrom 200C, Kali Permanganatum 30C, Kali Phos 200C, Kreosote 30C, Merc Sol 200C, Merc Vivus 200C, Mezereum 200C, Muriatic Acid 30C, Nasturtium Aquaticum 30C, Nitric Acid 200C, Psorinum 200C, Rhus Glabra 6C, Salicylic Acid 200C, Sempervivum Tectorum 6C, Syphilinum 200C, Sulphur 200C, Sulphuric Acid 200C, Thuja 200C, Vinca Minor 200C.

Cancer

- fetor mouth - lips

Citric Acid Q (mouth wash), Kali Permanganicum Q (mouth wash), Oxalis Acetosella 6C, Sepia 6C (in pipe smokers).

- tongue

Aparine 6C, Aurum Mur 30C, Citric Acid Q (local mouth wash - one drachm to 8 oz water), Galium 6C, Guaiacum 6C, Kali Cyanatum 30C,

	Sempervivum Tectorum 6C.	- p
<i>Chalky-white tongue</i>	Antimony Ars 200C.	
<i>Cracks</i>		
- corner of mouth, in	Condurango 6C, Indium 30C.	- s
- lips	Vitamin B 30C.	
<i>Dentition</i>		
- children in, with pain in the gums, preventing them from going to sleep	Dolichos Pruriens 200C.	- s
- difficult	Hekla Lava 200C.	Ha - r
<i>Diphtheria</i>	Apis Mel 200C, Ars Iod 200C, Diphtherinum 200C, Kali Bich 200C, Kali Permanganatum 200C, Kalmia Lat 200C, Lac Caninum 200C, Merc Cynatus 200C, Phytolacca 200C.	- n - r Ja - c
<i>Dryness</i>		
- oral and nasal mucosa	Ambra Grisea 200C.	- k t
- oral and throat mucosa	Mandragora 200C.	- r v r
<i>Epiglottitis, considerable inflammation of the entire space</i>	Phytolacca Q (gargles).	Lij
<i>Gums</i>		- l
- abscess	Hekla Lava 3X.	- l
- gum boil	Hekla Lava 200C.	- l
- inflammation	Citric Acid 200C, Kreosote 200C, Salicylic Acid 200C.	- l M of
- puffy, bleeding	Staphysagria 200C.	

- pyorrhoea Calcarea Renalis 30C, Emetine 6C, Hamamelis 200C, Mag Carb 200C, Symphytum Q (local application - diluted in 2:8 in water).
- scurvy Carbolic Acid 30C, Citrus Limonum Q, Cochlearia Armoracia Q (gargles), Hydrastis Can 30C, Kali Permanganatum 30C, Merc Iodatus 30C.
- soft, spongy Rhus Glabra Q (local application - 2:8 dilution in water).

Halitosis

- rotten eggs Arnica 200C, Quercus Spiritus Glandium 30C.
- nausea / malodorous Diphtherinum 200C.
- repugnant Merc Sol 200C.

Jaws

- crack when chewing Ammonium Carb 200C, Rhus Tox 6C
- lower, chewing motion of the, in meningitis. Bryonia 200C.
- mandible, inflammation of, with hard infiltration and redness Symphytum Q, Phosphorus 200C

Lips

- bluish discoloration Naphthoquinone 200C.
- lower, cracked Pulsatilla 200C.
- ulcers of Kali Bich 200C.
- vesicles formation, of Helleborus 200C.

Masseter cramps and opisthotonos

Cuprum Met 200C.

<i>Mutism of childhood unconnected with deafness</i>	Agraphis Nutans 1M.	- gr
<i>Mumps</i>	Conium 30C, Pilocarpine Muriate 30C.	- ha ex
<i>Oral breathing</i>	Elaps Cor 200C.	- lo
<i>Oral cavity conditions, inflammatory</i>	Hamamelis 30C.	- p
<i>Pharyngolaryngitis</i>	Luffa Operculata 30C.	
<i>Ptyalism, prevents mumps</i>	Trifolium Pratense 30C.	- s
<i>Quinsy</i>	Ailanthus Glandulosa 30C, Amygdalus Amara 30C, Guaiacum 200C, Kali Permanganatum 30C, Phytolacca Berry Q (gargles), Streptococcus Hemo 1M.	oi - ta - w Toi
<i>Ranula</i>	Lyssin 200C, Mezereum 200C.	- ir
- sublingual gland, in	Thuja Q.	gl
<i>Saliva bloody</i>	Nitric Acid 200C.	
<i>Sore mouth</i>	Eupatorium Aromaticum Q (local application - 2:8 dilution in water), Hydrastis Muriaticum 3X (local application).	- i e - n
<i>Teeth</i>		Toi
- caries in Diabetes Mellitus	Sulphuric Acid 200C.	
- dental fistula	Hekla Lava 200C, Hepar Suplh 200C, Silicea 200C.	Ulc
- dentition difficult	Calc Carb 200C, Calc Phos 200C, Chamomila 200C, Coffea Cruda 200C, Kali Brom 200C, Kreosote 200C.	Uv Ve
- gargles	Ceanothus Thrysiflorus Q.	- t
- grinding	Cinchona 200C.	

iate	- grinding, asleep while - haemostatic in tooth extraction - loose - pain	Hyoscyamus 200C. Millefolium Q. Nitric Acid 200C. Chamomila 200C, Chenopodi Glauci Aphis 30C, Heckla Lava 200C, Mag Phos 200C, Merc Sol 200C, Merc Vivax 200C, Plantago Q (local application), Sepia 200C.
cum OC,	- sensitive to dental operation - tartar prevention - wisdom tooth eruption	Antim Crud 1M. Calc Renalis 6C, Fragraria 6C. Cheiranthus 30C.
.	<i>Tongue</i>	
cal	- inflammation, glossitis - inflammation, infantile, exfoliative	Allium Sativum 200C, Leprominium 200C, Mygale Avicularis 200C, Streptococcinum 200C, Vinca Minor 200C. Sycotic Co 200C.
3X	- mapped	Syphilinum 200C, Tuberculinum 200C.
h	<i>Toothache</i>	Chamomilla 1M, Gratiola 200C, Hekla Lava 200C, Mag Phos 1M, Mag sulph 200C, Nux Moschata 200C.
OC, la ote	<i>Ulceration, buccolingual</i> <i>Uvula, inflammation</i> <i>Vesicle formation</i> - tongue and gums, on	Beryllium Met 200C. Cortisone 200C, Lyssin 200C. Berberis Vulg Q, Mezereum 200C.

GASTROINTESTINAL TRACT

<i>Abscess, subphrenic</i>	Pyrogen 200C.
<i>Anorexia nervosa</i>	Lac Def 200C, Levisticum Officinale 200C, Levomepromazine 30C, Medorrhinum 200C.
<i>Anus</i>	
- anovular	D.N.A. 200C.
- burning, severe	Aristolochia Clematis 200C.
- cramp of sphincter	Lycopodium 200C, Nux Vom 200C.
- eczema, weeping	Aethiops Antimonialis 30C, Ignatia 200C, Oxyuris Nosode 200C.
- fissure	Calc Fluor 200C, Carbo Animalis 200C, Funiculus Umbilicalis Suis 200C, Paeonia Officinalis Q (local application), Rectum 200C, Sedum Acre 6C, Strontium Carb 30C, Syphilinum 200C.
- fistula	Ars Alb 200C, Hydrastis Q (local application), Myristica 200C, Ni tric Acid 200C, Periproctitic Ab scess Nosode 200C, Rhus Tox 200C, Silphium Q (local applica tion).
- incontinence	Aloe 200C.
- itching	Calc Aceticum 200C, Fluoric Acid 200C, Muriatic Acid 200C, Saccharum Officinale 30C, Symphytum Q (local application).
- perianal abscess	Calc Sulph 1M, Myristica 200C, Tarentula Cub 200C.
- perianal pruritus	D.N.A. 200C.
- piles	Aesculus 30C, Allium Sativum 200C, Anacardium 30C, Beta

Vulgaris 30C, Blumea Odorata Q (local application), Bromium 30C, Calc Fluor 30C, Calc Iod 30C, Carduus Mar 30C, Collinsonia 30C, Q (local application), Lachesis 200C, Lycopodium 200C, Negundium Americanum 6C, Nux Vom 200C, Paeonia Officinalis 200C, Petroselinum 6C, Plantago Q (local application), Quercus Glandium Spiritus 6C, Ratanhia 200C, Sedum Acre 6C, Scrophularia Nodosa 6C, Sulphur 200C.

- piles, bleeding

Blumea Odorata Q, Carduus Mar Q, Mandragora 200C, Millefolium Q, Phosphorus 200C.

- piles, burning

Sulphuric Acid 200C.

- piles complaints

Fluoric Acid 200C, Kali Carb 200C, Lycopodium 200C, Sedum Acre 30C, Hyoscyamus 200C.

- piles, itching

Petroselinum 30C, Plantago 30C.

- polyp

Formica Rufa 1M, Hydrastis 200C.

- prolapse

Nitric Acid 200C, Allium Sativum 200C.

Appetite

- absence

Abrotanum 30C, Aletris Farinosa Q, Aristolochia Clematis 200C, Ars Iod 200C, China 200C, China Ars 200C, Condurango 200C, Ferrum Phos 200C, Galega 6C, Gentiana Lutea 6C, Iodium 6C, Muira Puama 30C, Piscidia Q, Vaccinium 200C.

- decreased, in cancer

Iodium 30C.

Appendicitis

Abrotanum 200C, Belladonna

	200C, Bryonia 200C, Calc Ars 200C, Echinecea 200C, Ginseng 200C, Iris Tenax 200X, Lachesis 200C, Merc Sol 200C, Rhus Radicans 200C.	- re
- acute	Bryonia 1M, Echinecea 200C, Lachesis 1M, Rhus Tox 1M.	- st
- chronic	Appendicitis Nosode 1M, Sycotic Co 1M.	- st
<i>Ascites</i>	Adonis Vernalis 30C, Acetic Acid 30C, Apis Mel 200C, Ars Alb 200C, Carduus Mar Q, Helleborus 200C, Kali Iod 200C, Merc sulph 1M, Oxydendron Arborea Q, Pulsatilla 200C, Quercus Glandium Spiritus Q.	Ch
- cirrhosis of liver, in	Ammonium Benz 200C, Quassia Amara 200C.	- d
- malignant ascites	Rauwolfia Serpentina Q.	- e
- peritonitis	Bryonia 6C, Rhus Tox 200C.	- s
- peritonitis, tubercular	Abrotanum Q.	Ch
<i>Borborygmi</i>	Gnaphalium Polycephalum 200C, Momordica 6C.	- e
<i>Bullaemia</i>	Abies Nigra 200C.	- c
- night at	Psorinum 1M.	
- satisfied quickly	Petroleum 10M.	
<i>Cancer</i>		Ch
- colon	Anthraquinone 200C, Carcinoma Coli 200C, Polypus Recti Nosode 200C.	- i
- liver	Carduus mar Q, Hydrastis 200C, Kali Mur 200C, Podophyllum 200C, Solidago Q.	Cl

- rectum and anus	Carduus Mar Q, Hydrastis 6C, Kali Mur 6C, Phytolaccin 6C, Polygonum Q, Ruta 200C.
- stomach	Acetic Acid 200C, Bismuth Subnitricum 200C, Cadmium Sulph 200C, Carbo Animalis 200C, Conium 200C, Nepenthes 30C.
- stomach and colon	Condurango 30C, Kali Mur 200C, Kali Perm 200C, Lobelia Erinus 6C, Hydrastis 200C, Ornithogallum Umbellatum Q, Polygonum Q, Uva Ursi 30C.
<i>Choking</i>	Streptococcinum 200C, Streptoenterococcinum 200C, Syphilinum 200C, Thyroidinum 200C.
- dysphagia	Streptococcinum 200C.
- easily	Morgan Pure 200C, Sycotic Co 200C.
- spasm of epiglottis, from	Medorrhinum 200C.
<i>Cholecystitis</i>	Belladonna 200C, Berberis Vulg Q, Carduus Mar Q, Chelidonium Q, Fel Tauri 200C, Mandragora 200C.
- acute	Crotalus Hor. 200C, Pyrogen 200C.
- chronic	Beryllium Met 200C, Chinhydron 200C, Hydrochinon 200C, Salmonella Typhi 200C.
<i>Cholelithiasis</i>	Calc Carb 200C, Chelidonium Q, Fel Tauri 200C, Chionanthus Vir Q, Fumaric Acid 200C, Salmonella Typhi 200C.
- colic	Belladonna 200C, Berberis Vulg Q, Carduus Mar Q.
<i>Cholera</i>	Camphor 3X, Cuprum Aceticum 30C, Hydrocyanic Acid 6C,

	Podophyllum 200C, Veratrum Alb 200C.	Cons
- infantum	Bismuth Subnitricum 200C, Calc Carb 200C, Calc Phos 200C, Echinacea Q, Kreosote 200C, Pyrogen 200C, Veratrum 200C.	- atc
<i>Colic</i>		- chu
- abdomen	Belladonna 1M, Berberis Vulgaris 1M, Colocynth 1M, Dioscorea 1M, Mag Phos 10M, Opium 1M, Plumbum Met 1M, Raphanus 30C.	- exl
- biliary	Mag Borocitricum 200C.	Crar.
- flatulent	Allium Sativa 200C, Mag Phos 200C.	Croh.
- flatulent, children in	Senna 200C.	Defc
- gastrointestinal	Cuprum Met 200C, Dioscorea Villosa 200C, Ilex Aquifolium 200C.	Diar.
- infantile	Carica Papaya 200C, Mentha Piperita 200C.	
- umbilical, with abdomen spasms	Mag Phos 200C.	- blk
<i>Colitis</i>		
- acute	Achyranthes Aspera Q.	- blk
- chronic	Teramycin 200C.	- ch
- haemorrhagic	Aranea Diadema 200C.	- ch
- mucous	Aethiops Antimonialis 200C, Cocksackie Virus Nosode A9 200C, Tormentilla 200C, X-ray 200C.	- elc
- radiotherapy, after	Podophyllum 200C.	- ex
- ulcerative	Chloromyecitin 200C, Podophyllum 200C.	- mc

<i>Constipation</i>	Aluminium 200C, Ficus Carica Q, Niccolum Met 200C.
- atonic	Alumina 200C, Hydrastis 200C, Madragora Officinarum 200C, Majeptil 200C.
- chronic	Appendicitis Nosode 200C, Caecum 200C, Hydrastis 200C, Mag Mur 200C.
- exhaustion, with complete	Ferrum Ars 200C.
<i>Cramp in stomach area</i>	Mag Phos 200C.
<i>Crohn's Disease</i>	Hoitzia 200C.
<i>Defaecation difficult</i>	Alumina 200C, Zinc Met 200C.
<i>Diarrhoea</i>	Aegle Folia Q, Aloe 200C, Atista Indica Q, Chapparo Amargosa Q, Croton Tig 200C, Cuprum Ars 200C, Cynodon Dactylon Q, Elaterium 200C, Emetine 30C, Gambogia 30C, Gentiana Lutea 200C, Kali Aceticum 200C, Nabalus 30C, Podophylum 200C, Ricinus Communis Q, Teramycin 200C, Veratrum 200C.
- blood diarrhoea	Atista Indica Q, Carbohic Acid 200C, Cynodon Dactylon Q.
- blood loss, from	Eucalyptus 200C.
- children, in	Mag Sulph 200C.
- chronic	Chapparo Amargoso 200C, Natrum Sulph 200C, Thyroidinum 200C.
- elderly persons	Baryta Carb 200C.
- excited when	Argentum Nitricum 200C.
- morning	Sulphuric Acid 200C, Psorinum 200C.

- summer	Cynodon Dactylon Q, Gratiola 200C, Iris Ver 200C.
- summer, in children	Gnaphalium Polycephalum 200C.
- swelling of the legs with distended abdomen	Acetic Acid 200C.
- violent, in the morning	Thuja 200C.
- whitish green, with mucus	Castoreum Sibiricum 200C.
<i>Digestive troubles, after meals</i>	Flavus 200C.
<i>Diphtheria</i>	Hippozaeninum 200C, Variolinum 200C.
<i>Diverticulosis</i>	Majeptil 200C.
<i>Dryness of mucosa of the throat and mouth</i>	Mandragora Q.
<i>Duodenal complaints</i>	Kali Bich 200C, Merc Dulcis 200C, Ornithogallum 6C, Uranium Nitricum 30C.
- catarrh	Anacardium Or 200C.
- inflammation	Levisticum Officinale 200C.
- inflammation, chronic	Duodenitis Nosode 200C.
- inflammation, green stools, with	Merc Dulcis 200C.
- syndrome	Phosphorus 200C.
- ulcer	Acetylcholine Chloride 200C, Anacardium Or 200C, Chlorpromazine 200C, Duodenitis Nosode 200C, Helicobacter 200C, Histamine Hydrochloride 1M, Ipecac 200C, Mandragora Officinarum 200C, Natrum Oxalaceticum 200C.

- ul
- ul
Dys
- ha
Ente
Epig
- bu
- ser
Eruc
- fatt
- fou
(eve
- imp
gast
sym
- lou
- ran
- sou
- viol
Ferre

- ulcer, recurrent
- ulcer, gastro doudenal

Chinhydron 200C.

Parathormone 1M, Proteus 1M.

Dysentery

Aegle Folia Q, Ailanthus Glandulosa 200C, Atista Radix Q, Chapparo Amargoso Q, Copaiva 200C, Cynodon Dactylon Q, Kurchi Q, Merc Cor 200C, Prunella Vulgaris 6C, Terminalia Chebulia Q, Trombidium 30C, Vaccinum Myrtillus 30C.

- haemorrhagic

Streptococcinum 200C.

Enterocolitis

Nux Vom 200C, Tuberculinum 200C.

Epigastrium

- burning in
- sensitivity in

Carbo Veg 200C.

Kali Carb 200C, Mag Phos 200C.

Eructation

Aesculus 200C, Belladonna 200C, Cinchona 200C.

- fatty tasting
- foul after eating
(even hours later)
- improvement due to, in
gastro-cardiac
symptom complex
- loud, explosive
- rancid
- sour

Convallaria Majalis 200C.

Ubiquinone 200C.

Arg Nit 200C.

Arg Nit 200C.

Asafoetida 30C.

Aethusa Cynapium 200C, Calc Carb 200C, Natrum Phos 200C.

Bismuth Met 200C.

Fermentation dyspepsia

Carbo Veg 200C, Ferrum Sulph 200C, Succinic Acid 200C, Ubiquinone 200C.

Flatulence

Adonis Vernalis 200C, Fel Tauri 30C, Ferrum Magneticum 30C, Fucus Vesiculosus Q, Micromeria 30C, Nux Vomica 200C, Occimum Sanctum 30C, Raphanus 30C, Rhus Glabra 30C.

- discharge of foul-smelling flatus and eructation with distended stomach area and feeling of constriction, meteorism with abdominal pains and feeling of pressure and heaviness in the stomach

Gentiana Lutea Q.

- frequent, vomiting and diarrhoea and runny stools with abdominal pain

Bismuth Met 200C.

- gaseous distention of stomach leading to pseudo heart symptoms

Natrum Nitricum 30C, Proteus 1M.

- smelling of rotten eggs

Arnica 200C.

Flatus

Gentiana Lutea Q, Zinc Val 200C.

- eructations with (everything presses upwards, nothing downwards)

Asafoetida 200C.

Gastro-enteritis

Anthracinum 200C, Lactic Acid 30C, Natrum Mur 200C, Nux Vom 200C.

- acute

Aconite 200C, Ars Alb 200C, Cuprum Ars 200C, Salix Purpurea 200C, Tormentilla 200C, Veratrum 200C.

- ice cream after

Salmonella Paratyphi B 200C.

- summer

Paratyphoidinum B 200C.

Haematemesis

Aconite 30C, Bacterium Proteus

	200C, Cadmium Sulph 200C, Ferrum Met 200C, Hamamelis 30C, Ipecac 30C.
<i>Hepatitis B or C</i>	Andrographis Peniculatum 200C.
<i>Hernia</i>	Aurum Met 200C, Aesculus 200C, Cocculus 200C, Nux Vomica 200C, Pituitarinum 200C, Sulphur 200C.
- inguinal, right side	Lycopodium 200C.
- strangulation symptoms, with tendency, to	Tabacum 200C.
<i>Hiccoughs (Singultus)</i>	(Vinegar in water or sips of chilled pineapple juice), Acetic Acid 6C, Amyl Nitrosum 6C, Calc Fluor 200X, Cajuputum 30C, Camphor 30C, Cicuta Virosa 30C, Cinnamonum Q (2 drops on half a teaspoon of sugar to suck every half an hourly), Cyclamen 30C, Dioscorea 30C, Ginseng 30C, Hydrocyanic Acid 30C, Hyoscyamus 30C, Ignatia 30C, Mag Phos 1M, Moschus 30C, Niccolum 30C, Passiflora 30C, Ra- nunculus Bulbosus 30C, Ratanhia 6C, Scutellaria 30C, Tabacum 1M, Zinc Valeriana 30C.
<i>Hydrocele</i>	Actea Racemosa 30C, Altingia Excellsa 30C, Apis Mel 3X, Calc Carb 200C, Graphites 200C, Natrum Mur 200C, Rhododendron 30C, Samarium 30C, Pulsatilla 30C.
<i>Hypochondria</i>	
- left hypochondriacal pain	Chionanthus 30C, Illicium 6C, Squilla 6C, Urtica Urens 30C.
- right hypochondriacal pain	Berberis Vulgaris 200C, Bryonia

200C, Chelidonium 200C, Mag
Phos 1M.

Ileocaecal region

- pain Pneumococcin 200C.

- left ileocaecal pain Naja 200C.

Ileus Colocynth 200C, Lycopodium
200C.

Indigestion Strych et Ferr Cit 6C.

Injury

- deep tissue, abdomen Bellis Per 200C.

- uncontrolled bleeding from
abdomen after injury Crotallus Horridus 200C.

Intestinal

- bleeding Carbo Veg 200C, Succinic Acid
200C.

- bleeding, passage of
mucus stools, with Cantharis 200C.

- bleeding, undigested
stools, with Acetic Acid 200C.

- cancer Naphthoquinone 200C, Succinic
Acid 200C.

- enzyme disorders Pancreas 200C.

- fibrosis Penicilinum 200C.

- flora injury, due to
antibiotics Bacterium Lactis Aerogenes 200C.

- flora injury, due to
chemotherapeutics Chloramphenicol 200C.

*Intestine, protein decay
factor in the* Indol 200C.

Jaundice Agaricus Phalloides 200C, Amoora

- dr

- ga
ur
ac
sp
fla

- ha

- pl
- st
w

- tc

Kai

Liv

- a
t

- e

Rohitika Q, Aurum Chlor Natronatum 6C, Berberis Vulgaris 200C, Calc Ars 30C, Carduus Mar 1M, Chelidonium 200C, Cinchona 200C, Digitalis 30C, Fel Tauri 30C, Hydrastis 200C, Hydrofluoric Acid 30C, Insulin 30C, Kali Iod 200C, Lactua Virosa 30C, Leptandra 200C, Linaria 30C, Merc Dulcis 30C, Myrica 30C, Natrum Choleinicum 200C, Natrum Sulph 30C, Nitric Acid 200C, Plumbum Met 200C, Podophyllum 200C, Ptelea Trifoliata 30C, Quassia Am 30C, Trinitrotoluene 30C, Vipera Berus 200C.

- drug induced Chlorpromazine 200C.

- gall stones and reduced uric acid excretion, accompanied by intestinal spasms and foul smelling flatus Cinchona 200C.

- haemolytic Hirudo Medicinalis 6C.

- pruritus with Dolichos Pruriens 200C.

- stones, with obstruction, with Chelidonium 200C.

- toxic Crotalus Hor. 200C.

Kala azar Cimex Lectularius 200C.

Liver

- alcoholism/ delirium tremens Agaricus 200C, Avena Sativa Q, Cimicifuga 200C, Hyoscyamus 200C, Nux Vom 200C, Opium 200C.

- anti-alcoholic (Orange juice), Angellica 30C, Antim Crud 30C, Asarum 30C, Capsicum 30C, Cinchona Rubra Q,

	Coca 30C, Nux Vom 30C, Quercus Glandium Spiritus 30C, Ranunculus Bulbosus 30C, Sterculia 30C, Strychnine Nitricum 30C, Sulphur 30C, Sulphuric Acid 30C, Syphilinum 200C.
- atrophy	Agaricus Phalloides 30C, Crotalus Hor 200C, Phosphorus 200C.
- biliary disorders, with	Berberis Vulg Q, Dioscorea Villosa 200C, Nasturtium Aquaticum 200C, Nux Vom 200C, Pichi-Pichi 200C, Quassia Amara 200C, Taraxicum 200C.
- cholelithiasis / biliary colic	Berberis Vulgaris 200C, Carduus Mar 1M, Chelidonium 200C, Dioscorea 200C, Mandragora Officinarum 200C.
- chronic liver disease	Amoora Rohitika Q, Insulin 200C, Lactuca Virosa 30C, Linaria 30C.
- cirrhosis	Ammonium Benzoicum 30C, Aurum Mur 30C, Calc Ars 200C, Carduus Mar 1M, Crotalus Horridus 200C, Euonymus 30C, Merc Sol 200C, Muriatic Acid 200C, Nasturtium 30C, Nux Vom 200C, Phosphorus 200C, Quassia Amara 30C, Vipera 200C.
- cirrhosis-alcoholic	Fluoric Acid 200C, Pexid 200C.
- complaints with diarrhoea	Yucca Filamentosa 200C.
- complaints periodic	Aur Mur Nat 200C.
- congestive acute or chronic	Cactus Q.
- damage	Oroticum Acid 200C, Agaricus Phalloides 200C, Carboneum Sulph 200C, Carboneum Tetrachloratum 200C, Coenzyme

	A 200C, Leptospiriosis Nosode 200C, Phosphorus 200C.
- damage after retoxically treated skin eruptions	Dolichos Pruriens 200C.
- disorders	Berberis Vulgaris Q, Chionanthus Virginica Q, Cynara Scolymus 200C, Lachnanthes Tinctoria 200C, Leptandra 200C, Nat Sulph 200C, Podophyllum 200C, Ptelea Trifoliata 200C, Raphanus Sativus 200C, Taraxacum 200C.
- function disorders	Lycopodium 200C, Marrubium Album 200C.
- hepatitis	Para-Benzochinonum 200C.
- hepatomegaly	Mag Mur 200C, Nux Vom 200C, Vipera Berus 200C.
- hepatomegaly, chronic	Cholesterinum 30C.
- infantile liver	Calc Ars 200C, Kalmegh Q.
- kidney overload, with	Berberis Vulg Q.
- liver abscess + vertigo + nausea	Theridion 200C.
- overactivity of	Juglans Regia 200C.
- spleen diseases, with	Cinchona 200C, Manganum Carb 200C, Manganum Sulph 200C.
<i>Megacolon</i>	Alumina 30C.
<i>Mesenteric Glands</i>	
- disease of, with emaciation of the extremities (pot-bellied with sunken eyes)	Silicea 200C.
- tuberculosis of	Abrotanum 200C, Silicea 200C.
<i>Meteorism</i>	Absinthium 200C, Anisum

	Stellatum 30C, Cinchona 200C, Leptandra Q, Raphanus Sativa 200C, Secale Cornutum 200C, Yucca Filamentosa 30C, Zinc Valeriana 200C.	- acu - chr - stat Perit - ad
<i>Mucosal Catarrh of the mouth and tongue</i>	Colchicum 200C.	
<i>Nausea</i>	Apomorphinum Hydrochloricum 200C, Asafoetida 30C, Ipecac 200C, Nux Vom 200C, Theridion Curassavicum 200C.	- pe
- eating, after	Cucurbita Pepo Q.	
- loss of appetite and revulsion at the smell of cooked food	Colchicum 200C.	- be - in - tu Phc
- retching with	Asclepias Tuberosa 200C.	
<i>Oesophageal</i>		
- burning in and fatty taste	Asafoetida 30C.	
- pain with considerable thirst	Colchicum 200C.	
- pain, with enormous	Colchicum 200C.	
- spasm	Ars Alb 200C, Cajuputum 30C, Naja 200C, Rhus Tox 200C.	- ac - ind Pha Plur Syn Rec - fis
<i>Pancreatitis</i>	Achyranthes Calea 200C, Atropine Sulph 200C, Bacterium Lactis Aerogenes 200C, Belladonna 200C, Boletus Laricis 200C, Dioscorea 200C, Fel Tauri 30C, Iodium 200C, Iris Versicolor 200C, Leptandra 200C, Merc Sol 200C, Momordica Balsamina 200C, Pancreatinum 200C, Phosphorus 200C, Spongia 200C.	

- acute Crotalus 200C.
- chronic Salmonella Typhi 200C.
- state after Coxsackie Virus Nosode A9 200C.

Peritoneum

- adhesions Funiculus Umbilicalus 200C, Koch Lymph 200C.
- peritonitis Achillea Moschata 200C, Aconite 200C, Anacardium 200C, Apis Mel 200C, Belladonna 200C, Bryonia 1M, Carbo Veg 200C, Echinecea 200C, Ferrum Phos 200C, Gelsemium 200C, Kali Mur 200C, Ledum Pal 200C, Nux Vom 200C.
- before perforation Atropine Sulph 200C.
- infective peritonitis Merc Sol 200C.
- tubercular peritonitis Abrotanum 200C, Ars Iod 200C.

Pharyngitis

Antim Tart 200C, Arum Maculatum 200C, Baryta Carb 30C, Belladonna 30C, Capsicum 30C, Hepatica Triloba 30C, Cinnamon 30C, Drosera 30C, Guaiacum 30C, Phytolacca 30C, Polygonum 30C, Salvia 30C, Sang Nit 30C, Teramycin 200C.

- acute Arum Triphyllum 200C.
- influenzal Salmonella Parathyphi B 200C.

Pharyngopathies, Nervous

Baptisia 200C, Cistus Canadensis 200C.

Plummer and Vinson Syndrome

Cadmium Met 200C.

Rectum

- fistulae Silicea 200C.

- prolapse	Allium Sativum 200C, Carduus Mar Q, Ratanhia Q (local applications of cerate), Calc Fluor 200C, Calc Phos 200C, Ferrum Phos 200C, Hypericum Q (local application), Ignatia 200C, Muriatic Acid 200C, Podophylum 200C, Sepia 200C, Thuja Q (local application).	- spleen
- haemorrhage	Blumea Odorata Q, Ipecac 200C, Mandragora Officinarum 200C, Millefolium 200C, Ratanhia 200C, Sanguisuga 200C.	- tone Stoma - acid
Spleen		
- sphere of action	Arnica 200C, Carduus Mar 1M, Ceanothus Q, Cimicifuga 200C, Ferrum Phos 200C, Linaria 30C, Luffa Bindal Q, Quercus Glandium Spiritus Q, Rubia Tinctorum Q, Tinospora Quad Q.	
- abscess	Ceanothus 200C, Hippozaeninum 1M.	
- atrophy	Ignatia 200C, Iodium 200C, Plumbum Met 200C.	
- cancer	Arsenic Alb 200C, Borax 200C, Ceanothus Q.	- belc resic
- enlargement	Leucas Aspera Q.	- blee haer
- flexure of spleen, flatulent colic, in	Momordica Balsamina 200C.	- buri
- inflammation	China 200C, Helleborus 200C, Hura 200C, Quercus Glandium Spiritus 200C, Urtica Urens 200C.	- buri tow: has
- oedema due to spleen disease	Ceanothus 200C, Lachesis 200C, Liatris Spicata 200C.	- gast alco
- sphere of action on spleen and liver	Aegle Folia Q, Andersonia Q, Boerhaavia Diffusa Q, Ceanothus	

Q, Kalmegh Q, Luffa Bindal Q,
Ptelea 30C, Tinospora Quad Q,
Trichosanthes Diona Q.

- spleenomegaly

Aranea Diadema 200C, Capsicum
200C, Luffa Bindal Q, Rubia
Tinctora Q, Tinospora Quad Q,
Urtica Urens 200C.

- tone and activate spleen

Ceanothus Q, Mentha Pulegium
30C.

Stomach

- acid dyspepsia

Amoora Rohitika Q, Anacardium Or
200C, Arg Nit 200C, Atropine
200C, Bacterium Lactis Aeroginis
200C, Capsicum 200C, Carbo-
lic Acid 200C, Carica Papaya Q, China
Ars 200C, Embelia Ribes Q,
Graphites 200C, Homarus 200C,
Hydrastis 200C, Hydrocyanic Acid
200C, Mag Carb 200C, Natrum
Phos 200C, Nitric Acid 200C, Nux
Vom 200C, Orexine Tannate 6C,
Ornithogalum 200C, Phosphorus
200C, Prunus Virginica 200C,
Robinia 200C, Strych et Ferricit
200C.

- belching and food
residues with

Ferrum Sulph 200C.

- bleeding and
haematemesis

Bothrops Lanceolatus 200C.

- burning

Cadmium Sulph 200C, Caladium
Seguinum 200C.

- burning cramp with pain
towards the spine (patient
has to bend backwards)

Bismuth Subnitricum 200C.

- gastric catarrh in
alcoholism

Sanguinaria 200C.

- dilatation	Abies Nigra 30C, Angellica Q, Calc Fluor 200C, Hamamelis 200C, Hydrastis Mur 3X, Ornithogalum 6C, Xanthoriza Apifolia 30C.
- gastric tonic	Gentiana Lutea 200C, Ginseng 200C, Quassia 200C.
- gastritis	Antim Crud 200C, Arg Nit 200C, Benzoic Acid 200C, Betula Alba 200C, Guaiacum 200C, Levisticum Officinale 200C, Nux Vom 200C.
- gastritis, acute	Belladonna 200C, Natrum Oxalaceticum 200C.
- gastritis, chronic	Pexid 200C.
- haemorrhage, at the pylorus between the mucosa and muscular coat	Colchicum 200C.
- heartburn	Absinthium 200C, Embelica 30C, Fluoric Acid 200C, Ferrum Met 200C, Homarus 30C, Natrum Phos 200C, Nux Vom 200C, Sinapis Alba 200C, Strych et Fer Cit 30C.
-insufficiency	Ferrum Met 200C.
- irritability	Cadmium Sulph 200C.
- motion sickness	Cocculus Indica 200C, Petroleum 200C.
- air sickness	Belladonna 200C, Coca 200C.
- sea sickness	Apomorphinum 200C, Cocculus 200C, Tabacum 200C.
- pain	Abrotanum 200C, Agaricus 200C, Hyoscyamus 200C, Bismuth Subnitricum 200C, Dioscorea Villosa 200C, Gaultheria Procumbens 200C.
- pain, burning	Ammon Mur 200C.

- peptic ulcer

Alumina Phos 200C, Arg Nit 200C, Aspirin 200C, Atropine Sulph 200C, Bacterium Proteus 200C, Chlorpromazine 200C, Embelia 200C, Geranium Maculatum 200C, Histamine Hydrochloride 200C, Kali Bich 200C, Kali Phos 200C, Merc Iod Flav 200C, Mezereum 200C, Ornithogalum 200C, Penicillin 200C, Sinapis Alba 200C, Symphytum 200C, Syphilinum 200C, Uranium Nit 200C.

- peptic ulcer, recurrent

Chinhydron 200C.

- peptic ulcer, spring deterioration of

Anacardium Or 200C.

- pyloric stenosis

Mandragora Q.

- vomiting

Apomorphinum 200C, Camphor Monobromide 200C, Iris Versicolor 200C, Merc Dulcis 200C.

- weakness sensation, in pit of stomach

Lobelia Inflata 200C.

Stools with

- pain, considerable

Nitric Acid 200C.

- semen flow

Acetic Acid 200C.

- sweating on forehead

Croton Tig 200C.

Throat

- abscess, quinsy

Lac-C 200C, Psorinum 200C, Streptococcinum 200C.

- catarrh

Argentum Nit 200C, Euphorbium 200C, Lemna Minor 200C.

- catarrh, adherent

Ambra Grisea 200C, Lac-Hum 200C, Vipera 200C.

- catarrh, dry	Salicylic Acid 200C.
- dry, night aggravates	Flavus 200C.
- dry, warm honey ameliorates	Cortisone 200C.
- glandular swellings	Silicea 200C.
- globus hysericus	Aquilegia 200C, Ignatia 200C, Lachesis 200C, Moschus 200C.
- grangenous	Variolinum 200C.
- inflammation, adenoids	V.A.B. 200C.
- inflammation, cervical glands	Streptococcinum 200C, V.A.B. 200C.
- inflammation, fauces	Variolinum 200C.
- inflammation, gangrenous	Hippuric Acid 200C.
- inflammation, pain with	Diphtherinum 200C, Syphilinum 200C.
- inflammation, pharynx	Corticotrophin 200C, Dysentery Co 200C, Influenzinum 200C, Lac-C 200C, Lyssin 200C, Medorrhinum 200C, Morgan Pure 200C, Paratyphoidinum B 200C, Proteus 200C, Syphilinum 200C, Tuberculinum 200C.
- mucus, cheesy balls, disgusting, hawks up	Psorinum 200C.
- mucus, fauces accumulates	Psorinum 200C.
- mucus, viscid	Psorinum 200C.
- pain, swallowing	Adrenalin 200C, Folliculinum 200C, Lac-C 200C, Lac-D 200C, Psorinum 200C, Tuberculinum 200C, V.A.B. 200C, X-ray 200C.

- rhino-pharyngitis in children	Toxoplasma Gondii 200C.
- tickling in, pit of throat	Inula Helenium 200C.
- weakness of muscles of neck	Lac-D 200C.
<i>Travel Sickness</i>	Cocculus 200C, Conium 200C, Mandragora Officinarum 200C, Petroleum 200C.
- sea sickness	Apomorphinum Hydrochloricum 200C, Cerium Oxalicum 200C, Cocculus 200C, Cucurbita Pepo Q, Petroleum 200C.
<i>Vomiting</i>	Apomorphinum Mur 200C, Cadmium Sulph 200C, Calcium Chloratum 200C, Carboic Acid 200C, Cerium Sulph 200C, Digitalis Q, Ferrum Met 200C, Lobelia Inflata 30C, Oxalic Acid 200C, Phosphorus 1M, Salicylic Acid 200C, Secale Cor 200C, Tartaric Acid 200C.
- blood	Cadmium Sulph 200C, Ornithogalum Q.
- food	Merc Cyanatus 200C.
<i>Worms</i>	Embelia Ribes Q.
- ascaris / long round worms	Asafoetida 200C, Chelone Q, Chenopodium Q, Cina 200C, Cleodendron Q, Embelia Ribes Q, Indigo 30C, Santoninum 3X, Spigelia 6C, Teucrium Marum 6C, Viola Odorata 30C.
- hookworm / ankylostomiasis	Chenopodium Anthelminticum Q, Thymol 6C.

- | | |
|---------------------------------------|---|
| - pinworm / threadworm / enterobiasis | Baryta Carb 200C, Chelone Q, Cina 30C, Sabadilla 30C, Santoninum 3X, Scirrhnum 200C, Terebinthina 30C, Vernonia Antihelmintica Q. |
| - tapeworm / flat, segmented worms | Calcarea Carb 200C , Cucurbita Pepo 200C, Cuprum Oxydatum Nigrum 1X, Felix Mas 6C, Fragraria 30C, Granatum 30C, Kausso 30C. |
| - whipworm / trichuriasis | Podophyllum 200C. |

NOSE

Sphere of action

- maxillary antrum Aurum Met 200C, Chromic Acid 30C, Cistus Can 200C, Juglans Regia 200C, Symphytum 200C.
- nose, external Natrum Carb 200C.
- nasopharynx Chromic Acid 30C, Corallium Rubrum 30C, Hippuric acid 30C.

Adenoids enlarged

Agraphis Nutans 1M, Bacillinum 200C, Baryta Iod 200C, Baryta Mur 200C, Calcarea Iod 200C, Calcarea Phos 200C, Tuberculinum 200C.

Anosmia after head injury Thalamus 30C.

Boils in nostrils Bacillinum 200C.

Burning nose Ars Alb 200C.

Catarrh Hedera Helix 200C, Kali Carb 200C, Lachesis 200C

- chronic Merc Sol 200C.
- dry mucosa, with Sticta Pul 3X.
- general Lithium Carb 200C.
- mucus, thick with Natrum Carb 200C.
- scabby, crusty, purulent-bloody Lemna Minor 200C.

Cold complaints Influenzinum 200C.

- permanent Calc Iod 30C, Hepar Sulph 200C, Hydrastis 200C, Sulphuric Acid 200C.

- susceptibility to Baryta Iod 200C, Kali Carb 200C, Natrum Carb 200C, Natrum Oxalaceticum 200C.

- sensitivity to Ubiquinone 200C.

- with fever after colds due to cold east winds Aconite 200C.

Carcinoma

- nasopharynx Cistus Can 30C.

- posterior nares Chromic Acid 30C.

Coryza fluent Allium Cepa 30C, Ars Alb 30C, Limulus 30C, Nux Vom 30C.

Dryness of nasal mucosa Ambra Grisea 200C, Hypericum 200C.

Epistaxis Abrotanum 200C, Ambrosia 30C, Acetic Acid 30C, Belladonna 1M, Camphor 200C, Ferrum Phos 200C, Ferrum Picricum 30C, Glonoine 200C, Hamamelis 200C, Hydrastis 200C, Hyoscyamus 200C, Ipecac 200C, Moschus 200C, Muriatic Acid 200C, Natrum Nitricul: 200C, Pulsatilla 200C, Thlaspi Bursa Pastoris 200C, Urtica Urens 200C.

- bright red Ferrum Met 200C.

- congestion of blood, after Melilotus Off Q.

- dark Merc Cyanatus 200C.

- vicariously with menstruation Dulcamara 200C.

Haemoptysis Erigeron Q, Millefolium Q, Myrtus Communis 200C.

*Hayfever or allergic
vasomotor rhinitis*

Allium Ceba 200C, Alphaketo-
glutaricum Acid 200C,
Anthusanthum 200C, Arum
Maculatum 200C, Arundo 30C,
Cis-Aconiticum Acid 200C,
Cumarinum 30C, Fumaric Acid
200C, Mixed Pollen 30C, Nux Vom
200C, Phleum Pratense 6C,
Psorinum 200C, Sabadilla 200C,
Succinic Acid 200C, Wyethia
200C.

- prophylaxis

Nervus Olfactorius Suis 200C.

Itching nasal

Nux Vom 200C.

Obstruction of nose

- anosmia and rhinitis

Medorrhinum 200C.

- dryness of nose

Lemna Minor 30C, Sinapis Nigra
30C, Sticta Pul 30C.

- profuse discharge

Arum Triph 200C, Nux Vom 200C.

- chronic obstruction of years

Mag Mur 200C, Rauwolfia
Serpentina 30C, Sarsaparilla 30C.

- due to nasal polyps

Acetic Acid 30C, Agraphis Nutans
1M, Baryta Oxalsuccinica 200C,
Calc Carb 200C, Calc Flour 200C,
Castoreum 30C, Elaps Corallinus
200C, Formica Rufa Q (local ap-
plication), Hippuric Acid 200C,
Kali Mur 200C, Kali Nitricum 200C,
Lemna Minor 30C, Luffa
Operculata 30C, Reserpine 200C,
Salmonella Paratyphoid B 200C,
Sanguinaria Nitricum 200C, Sticta
Pul 200C, Teucrium Marum 1X or
3X (dry powder locally), Thuja
200C.

Ozaena

Aurum Met 200C, Bacillinum 200C, Cadmium Sulph 200C, Calc Fluor 200C, Euphorbium 200C, Graphites 200C, Hippozaenum 200C, Kali Hydroiodicum 200C, Kali Phos 200C, Lachesis 200C, Lemna Minor 200C, Nitric Acid 200C, Syphilinum 200C, Theridion 200C.

- dis
aft
- ma
- po
- po
- pu
Snu

Rhinitis

- allergic

Cortisone 30C, Galphimia Glauca 30C.

Ulce

- atrophic chronic

Luffa Operculata 30C.

Yell

- chronic

B.C.G. 200C.

- purulent

Penicillin 200C, Vaccinium 200C.

Root of nose, pressure in

Sticta Pul 3X.

Scabs on nose

Arum Triphyllum 200C, Baryta Carb 200C, Borax 200C, Sanguinaria Nitricum 200C, Sticta Pul 200C.

Sinusitis

Cupressus 200C, Distemperinum 200C, Euphorbium 200C, Kali Bi 200C, Kali Iod 200C, Luffa Operculata 30C, Mucobacter 200C, Mucocatarrhalis 200C, Natrum Oxalaceticum 200C, Nux Vom 200C, Oscillococcinum 200C, Prunus Virginia D3.

- acute and chronic

Penicillin 200C.

- catarrh

Manganum Met 200C.

- chronic

Hedera Helix 200C, Oscillococcinum 200C.

- discharges suppressed, after	Thuja 200C.
- maxillary	Achyranthes Calea 200C.
- polysinusitis	Silicea 200C.
- polysinusitis, chronic	Influenzinum 200C.
- purulent	Luffa Operculata 200C.
<i>Snuffles</i>	Iodoform 30C, Lycopodium 30C, Nux Vom 1M, Sambucus Nigra 1M, Syphilinum 1M.
<i>Ulcers nasal</i>	Hydrastis 200C.
<i>Yellow patch on nose</i>	Cadmium Sulph 200C.

RESPIRATORY SYSTEM

Sphere of action

- pneumogastric nerve

Antim Tart 200C, Linaria 200C,
Lobelia 200C.

Adenitis, cervical

Aquamarina 200C, B.C.G. 200C.

Air hunger

Folliculinum 200C, Histaminum
200C, Medorrhinum 200C.

Allergy, respiratory

Cortisone 30C.

Asthma

Acetylcholine 30C, Amyl Nitricum
Q (inhalation), Antim Ars 200C,
Antim Sulph Aur 30C, Antim Tart
200C, Apis Mel 200C, Aralia
Racemosa 200C, Ars Alb 1M,
Asclepias Tuberosa 30C,
Aspidosperma 200C, Asthma
Nosode 200C, Bacillinum 200C,
Bacillus No.7. 200C, Bacillus No.10.
200C, Blatta Or Q, Carcinosis
200C, Cina 200C, Cis-Aconiticum
Acid 200C, Coenzyme A 200C,
Coxsackie Virus Nosode 200C,
Cuprum Met 200C, Di-Malicum
Acid 200C, Drosera 200C, Ephedra
Vulgaris Q, Formic Acid 200C,
Fumaric Acid 200C, Grindelia Q,
Histaminum 200C, Hypophysis
Post 200C, Ipecac 1M, Juncus
Effusus 200C, Leuticum 200C, Lo-
belia Inf 1M, Morgan Gaertner
200C, Medorrhinum 200C, Natrum
Oxalaceticum 200C, Natrum Sulph
200C, Nux Vom 200C, Passiflora
Q, Pertussin 200C, Phos 200C,
Plantago Aquatica Q, Piscidia
200C, Pothos 200C, Psorinum
200C, Pulmovulpis 200C, Rumex

- as

- as

- as

- as

fo

- as

w

- as

- as

- as

in

ac

- as

- as

- a

cl

- a

- a

- a

ir

- a

- a

- a

200C, Sambucus Nigra 200C, Senega 200C, Silphium Laciniatum 200C, Solanum Xanthocarpum 200C, Spongia 200C, Sycotic Co 200C, Thalamus 200C, Yerba Santa 200C.

- asthma, aged athletes, in Coca Q.
- asthma, alcoholics, in Coca Q.
- asthma, allergic Candida Albicans 200C, Tuberculinum 200C.
- asthma, anaesthesia following Aralia Racemosa 200C.
- asthma, bloating epigastric with Lac-D 200C.
- asthma, cardiac Adonis Ver Q, Psorinum 200C.
- asthma, children in Ambra Grisea 200C.
- asthma, children in, where indicated remedies fail to act Morgan Pure 200C.
- asthma, chronic Antim Suplh Aur200C, Sulphuric Acid 200C, Syphilinum 200C.
- asthma, coughing, fits with Pertussin 200C.
- asthma, constriction of chest Veratrum 200C.
- asthma, dyspnoea with Baryta Oxalsuccinica 200C, Lobelia Inflata 200C.
- asthma, emphysema with Lac-D 200C.
- asthma, endocrine imbalance, from Pituitrin 200C.
- asthma, foggy weather Natrum Sulph 200C.
- asthma, husky voice, with Hippozaeninum 200C.
- asthma, infants, in Naphthalinum 30C.

- | | |
|---|--|
| - asthma, mountains ameliorate | Syphilinum 200C. |
| - asthma, psychogenic causes, from | Thyreotropic Hormone 200C. |
| - asthma, seaside ameliorates | Medorrhinum 200C, Sycotic Co 200C. |
| - asthma, smokers of | Naphthoquinone 30C. |
| - asthma, spasmodic | Syphilinum 200C. |
| - asthma, state of collapse in | Veratrum 200C. |
| - asthma, warm weather | Syphilinum 200C. |
| <i>Asthmatic bronchitis</i> | Eosin 30C, Natrum Oxalaceticum 30C, Senega 30C. |
| <i>Breath</i> | |
| - paralysis of | Kali Cyanatum 200C. |
| - weak, cannot take deep breath | Kali Cyanatum 200C. |
| <i>Bronchial asthma</i> | Galphimia Glauca 200C, Hypothalamus 200C, Luffa Operculata 200C. |
| <i>Bronchial catarrh</i> | Antim Sulph Aur 200C, Myrtus Chekans 30C. |
| - with poorly detachable sputum of grey-white colour | Ammonium Iodatum 200C. |
| - with production of viscous, ropey mucus which can barely be brought up and may hang from the mouth in strings | Kali Bich 200C. |
| - with unpleasant sensitivity to percussion | Myosotis Arvensis 200C. |

Bronchiectasis

Bacillinum 200C, Balsum Peru 30C, Beryllium 200C, Klebsiella Pneumoniae 200C, Kreosote 200C, Natrum Pyruvicum 200C, Pertussin 200C, Phellandrium 200C, Psorinum 200C, Sanguinaria Nit 200C, Stannum 200C.

Bronchiolitis

Ammonium Iod 200C, Antim Ars 200C, Eucalyptus 200C.

Bronchitis

Acetum Lobelia 200C, Ammon Brom 30C, Antim Tart 200C, Bacillinum 200C, Calc Iod 200C, Cetraria Islandica 30C, Hepatica Triloba 30C, Hippozaeninum 200C, Myrtus Chekans 30C, Narcissus 200C, Pix Liquida 30C, Silphium 30C, Stannum Iod 3X, Streptomycin 200C.

- acute

Morgan Pure 200C.

- asthmatic

Ephedra Vulgaris 200C.

- bronchorrhoea with

Bacillus Proteus 200C, Diphtherinum 200C, Hippozaeninum 200C.

- capillary

Tuberculinum Aviare 200C.

- children, in

Morgan Pure 200C, Pneumococcinum 200C, Tuberculinum 200C.

- chronic

Ammoniacum 30C, Bacillinum 200C, Ilex Aquifolium 200C, Tuberculinum Residuum 200C.

- chronic, elderly in

Hippozaeninum 200C.

- chronic with excessive sputum

Cortisone 30C.

- cough, constant urge to Stannum Iod 200C.
- damp weather Sycotic Co 200C.
- descending Antim Tart 200C, Ubiquinone 30C.
- expectoration difficult Cantharis 200C.
- recurrent Diphtherinum 200C, Dysentery Co 200C, V.A.B. 200C.
- repeated attacks of B.C.G. 200C.
- winter Sycotic Co 200C.

Broncho Pneumonia Ammon Iod 200C, Morbillinum 200C, Pulsatilla 200C, Tuberculinum Aviare 200C.

- breathlessness, severe with Benzoic Acid 200C.

Bronchorrhoea Agrimonia Eupatoria Q.

Burning larynx Antim Sulph Auratum 200C.

Catarrh of the respiratory organs Inula Helenium 200C.

- mucosal catarrh of the Ammon carb 200C.
- upper tract of the Chlorum 30C.

Chest pain

- coughing, on Arnica 200C, Cetraria Islandica 200C.
- dry pleuritis and dry, irritative cough, with Tuberculinum 200C.
- left side Stannum 200C.
- right side Bryonia 200C.
- severe Acalypha Indica 200C.
- shooting type Ferrum Met 200C.

Congestion of chest recurrent Morgan Pure 200C, Pneumococcinum

	200C, Streptococcus Viridans 200C, Tuberculinum Aviare 200C, Tuberculinum Marmorek 200C.
<i>Cough</i>	Belladonna 200C, Ficus Carica Q, Hydrastis 200C, Salicylic Acid 200C.
- air, change of, aggravates cough and catarrhal colds	Rumex 200C.
- barking	Belladonna 200C.
- breathing and speaking, aggravated at night, where the patient cannot lie in a cold room	Sanguinaria 200C.
- chronic	Streptomycin 200C.
- chronic, dry	Flavus 200C.
- dry, in smokers	Allium Sativum 200C.
- exposing a part of the body, on	Hepar Sulph 200C.
- holding head and chest with the hands during cough	Bryonia 200C.
- irritable, and catarrh of asthmatics with intercurrent pleural irritation	Drosera 200C.
- paroxysmal	Castanea Vesica 200C.
- post influenzal	Cochlearia Armoracia Q.
- smoker's cough	Quebracho 200C.
- scratching, rough with disorders of the gastric mucosa and the bronchi	Hydrastis 200C.
- spasmodic (like a machine gun fire)	Corallium Rubrum 200C.

- ticklish Ignatia 200C.
- whooping Ambra Grisea 200C, Atropinum Sulph 200C, Bromium 200C, Carbo Veg 30C, Castenea Vesca Q, Cinchona 30C, Drosera 200C, Grindelia Robusta Q, Hippozaeninum 200C, Histaminum 200C, Ipecac 200C, Kali Carb 200C, Mag Phos 200C, Mephitis Putorius 30C, Naphthaline 30C.

Cyanosis

Naphthoquinone 200C.

- retching in asthma with considerable convulsive signs Drosera 200C.

Dyspnoea

Ephedra Vulgaris 200C, Naja 200C, Natrum Nit 200C, Para-Benzochinonum 200C.

- asthmatic Penicillin 200C.
- bronchial asthma and Lobelia Inflata 200C.
- bronchiolitis Antim Arsenicosum 200C.
- coughing spasmodic, at night Ambra Grisea 200C.
- heart disorders and collapse Bismuth Met 200C.

- lying with head low impossible Spongia 200C.

- temperature, high with Diphtherinum 200C.

Effusion

- pleuritis and pericarditis with deterioration on eating and lying down Antim Ars 200C.

Emphysema

Carbo Veg 200C, Corticotrophin

	200C, Ephedra Vulgaris 200C, Grindelia Robusta Q, Histaminum 200C, Ipecac 200C, Morgan Pure 200C, Penicillinum 200C, Pertussis Nosode 200C, Psorinum 200C, Pneumococcinum 200C, Quebracho 30C, Senega Q, Tuberculinum 200C, Tuberculinum Residuum 200C.
- chest tightness and laboured breathing with	Cactus Q.
- dyspnoea or dizziness	Curare 200C.
- elderly of	Naphthaline 200C.
<i>Empyema</i>	Hepar Sulph 200C, Merc Sol 200C, Pyrogen 200C.
<i>Expectorant</i>	Marrubium Album 30C.
<i>Fibrosis</i>	Penicillinum 200C.
<i>Haemorrhage</i>	
- haemorrhagic inflammations of the respiratory organs	Cantharis 200C.
- tendency to	Cactus Q, Ipecac 200C, Kali Carb 200C, Secale Cor 200C.
<i>Hayfever</i>	Galphimia 200C, Sinapis Alba 200C.
<i>Infiltration of apices of lungs, early</i>	Elaps Corallinus 200C.
<i>Insufficiency (respiratory) due to cardiac problem</i>	Buthus Australis 200C.
<i>Laryngo pharyngitis</i>	Alloxan 200C.
<i>Larynx</i>	
- catarrh	Ammonium Brom 200C, Ammonium Caust 200C, Ammonium Iod

- 200C, Bryonia 200C, Euphorbium 200C, Guaiacum 200C, Hyoscyamus 200C, Phosphoric Acid 200C.
- inflammation Adrenalin 200C, Arum Maculatum 200C, Belladonna 200C, Eucalyptus 200C, Influenzinum 200C, Lacc 200C, Lachesis 200C, Mezereum 200C, Paris Quad 200C, Pyrogen 200C, Tuberculinum 200C, Tuberculinum Aviare 200C, Tuberculinum Marmorek 200C.
- inflammation, acute Arum Triphyllum 200C.
- inflammation, blood-streaked expectoration, with Selenium 200C.
- inflammation, hoarseness in evening, with Carbo Veg 200C.
- inflammation, hoarseness, aggravated by cold air Phosphorus 200C.
- scratching Allium Sativa 30C.
- Lungs*
- catarrh, blood-streaked expectoration, with Senecio Aureus 200C.
- catarrh, lingering Kreosotum 200C.
- inflammation Natrum Oxalaceticum 200C.
- oedema pulmonary Antim Ars 200C.
- oedema pulmonary, foamy expectoration and watery mucous secretions Jaborandi 30C.
- oedema pulmonary, incipient Carbo Veg 30C.
- oedema pulmonary, Carbo Veg 200C.

*myocardial weakness and
typical dyspnoea, with*

- surge of blood to the,
improved by haemoptysis

Melilotus Off Q.

Mutism

Helleborus 200C, Veratrum Alb
200C.

Pleura

- pleural exudate

Ars Alb 30C.

- pleural irritation,
intercurrent, with deep
hoarse voice, with
laryngeal catarrh

Drosera 30C.

- pleural pain

Cimicifuga 200C.

- pleural pain, influenza with

Cimicifuga 200C.

- pleurisy

Sarcosolactic Acid 30C.

- pleurisy, dry

Tuberculinum Residuum 200C.

- pleuritis

Anthrachinon 200C, Ars Alb 30C,
Bryonia 30C, Diphtherinum 200C,
Klebsiella Pneumoniae 200C.

- pleurodynia

Medorrhinum 200C.

Pneumoconiosis

Beryllium Metallicum 200C,
Klebsiella Pneumoniae 200C.

Pneumonia

Rhus Tox 200C, Skatol 30C,
Veratrum Alb 200C.

- acute

Sulphur 200C.

- chronic

Natrum Oxalaceticum 200C.

Pneumothorax

Chlorpromazine 200C.

Rattles, mucosal in asthma

Carbo Veg 200C.

Respiration

- chyne-strokes	Cuprum Aceticum 200C, Grindelia Robusta 200C, Hydrocyanic Acid 200C.	-
- shallow	Ubiquinone 200C.	
- shallow sensation of, on going to sleep	Grindelia Q.	
- rales, waking on	Sycotic Co 200C.	-
- wheezing	Syphilinum 200C.	-
- whistling	Medorrhinum 200C.	7
<i>Silicosis</i>	Klebsiella Pneumoniae 200C.	-
<i>Speech disorders</i>	Bovista 200C, Vipera Berus 200C.	
- almost complete loss of speech	Oleander 30C.	
<i>Suffocative attacks</i>	Moschus 200C.	
- nervous nature of	Lachesis 200C.	7
<i>Tonsilitis</i>	Bacillus No.7.200C, Belladonna 200C, Bryonia 200C, D.P.T. 200C, Dulcamara 200C, Dysentery Co 200C, Ferrum Met 200C, Kali Bich 200C, Lycopodium 200C, Merc Bin-Iod 200C, Mucor Mucedo 200C, Morgan Pure 200C, Psorinum 200C, Streptococcinum 200C, Ustilago 200C, Sulphurosum Acid Q (local spray).	- - - - -
- abscess	Hepar Sulph 200C, Merc Sol 200C, Myristica Sebifera 200C.	-
- chronic	B.C.G. 200C, Calc Sulph 200C, Streptococcinum 200C, Tuberculinum 200C, V.A.B. 200C.	-
- follicular, recurrent	Penicillin 200C.	-
- hypertrophy	Calc Iod 200C, Lymphatic Gland 200C, Thuja 200C.	- -

- quinsy Bacterium Pyocyaneus 200C, Belladonna 200C, Capsicum 200C, Lachesis 200C, Merc-I-F 200C, Merc Cor 200C, Merc Sol 200C, Mumps Nosode 200C, Streptococcus Haemolyticus 200C.
- suppuration lingering Salmonella Paratyphoid B 200C.
- tonsillectomy, state after Ferrum Phos 1M.

Trachea

- inflammation Diphtherinum 200C, Dysentery Co 200C, Eucalyptus 200C, Lachesis 200C, Morgan Pure 200C, Pneumococcinum 200C, Sanguinaria 200C, Sycotic Co 200C, Tuberculinum Aviare 200C.

Tuberculosis

- Formalin Q (in hot water, as vapour), Iodium 200C, Myrtus Communis 200C, Nat Mur 200C, Phos 200C.
- cachexia Kreosote 200C.
- cavitation Pyrogen 200C.
- cavitation, visceral Serum of Spengler 200C.
- fibrous Tuberculinum Residuum 200C.
- glandular Sycotic Co 200C.
- incipient Pertussin 200C, Serum of Spengler 200C, Tuberculinum Marmorek 200C.
- initial symptoms of Ferrum Met 200C.
- larynx, of the Cuprum Met 200C.
- mesenteric glands Silicea 200C.

- primary infection Toxoplasma Gondii 200C.
- prophylaxis Bacillinum 200C, Tuberculinum 200C.
- pulmonary Bacillinum 200C, Ferrum Chloratum D6, Hippozaeninum 200C, Malaria Off 200C, Psorinum 200C, Pyrogen 200C.
- pulmonary, chronic Sulfurosum Acid 200C.
- pulmonary, fibrosis Tuberculinum 200C.
- pulmonary, incipient Medorrhinum 200C.
- sweat Calc Carb 200C.
- vocal cords, ulceration Lactic Acid Q (local application).
- young persons in Myosotis Arvensis 200C.

Uvula

- inflammation Cortisone 200C, Lyssin 200C.

Voice

- aphony Diphtherinum 200C, Lac-C 200C, Leprominium 200C, Medorrhinum 200C, Oscillococcinum 200C, Syphilinum 200C.
- aphony, chronic Leprominium 200C, Psorinum 200C, Streptoenterococcinum 200C.
- aphony, painful Tuberculinum 200C.
- hoarse Ammon Brom 200C, Belladonna 200C, Causticum 200C, Ferrum Met 200C, Mag Phos 200C, Psorinum 200C, Syphilinum 200C, Verbascum 200C.

- | | |
|---|---|
| - hoarse, chronic | Psorinum 200C. |
| - hoarseness, morning | Causticum 200C. |
| - hoarseness, reading
aggravates | Medorrhinum 200C. |
| - hoarseness, from scarring
following ulceration | Leprominium 200C. |
| - husky | Lac-Hum 200C, Bacillus Coli
200C. |
| - nasal | Phosphoric Acid 200C. |
| - loss of | Coca Q (5-6 drops every half hour
two hours before expected de-
mand on voice). |

CARDIOVASCULAR SYSTEM

<i>Agranulocytosis</i>	Corticotrophin 200C, Sulphanilamide 200C.
<i>Anaemia</i>	Ferrum Met 200C, Ferrum Phos 200C, Natrum Mur 200C, Osteomyelosclerosis Nosode 200C, Rubia Tinctoria Q, Spleen 200C, Succinic Acid 200C, Sufaguanidine 200C, Tetracycline 200C.
- alimentary megaloblastic	Osteomyelosclerosis Nosode 200C.
- anaplastic	Sulfolamide 200C.
- menstrual flooding, from	Lyssinum 200C.
- pernicious	Medorrhinum 200C, Thyroidinum 200C.
- post infection	Tetracycline 200C.
- renal failure, of	Ferr Citrate 30C, Niacin 30C.
<i>Aneurysm</i>	
- aortic	Aurum Iodatum 200C.
- aortic, pain in	Gallic Acid 30C.
<i>Angina Pectoris</i>	Acetylcholine Chloride 30C, Adrenalin 200C, Aconite 200C, Cis-Aconitum Acid 200C, Citric Acid 200C, DI-Malicum Acidum 30C, Diphtherinum 200C, D.N.A. 200C, Folliculinum 200C, Formic Acid 200C, Fumaricum Acidum 30C, Glonoine 200C, Histaminum 200C, Mag Phos 200C, Morgan Gaertner 200C, Morgan Pure 200C, Mucor Mucedo 200C, Natrum Pyruvicum 30C, Pe-nicillinum 200C, Pituitrin

200C, Proteus 200C, Syphilinum 200C, Thalamus 200C, Thyroidinum 200C.

- pressure in the heart region, feeling of constriction and breathlessness

Crataegus Q.

Arrhythmia

Adonis Ver 30C, Kali Carb 200C, Natrum Mur 200C, Natrum Pyruvicum 30C, Spartium Scoparium 30C.

Arteries

- atheromatous aortitis
- fibrous obstruction

Corticotrophin 200C.

Corticotrophin 200C.

Arteriosclerosis

Adrenalin 30C, Aurum Iod 30C, Baryta Carb 30C, Baryta Iod 30C, Conium 30C, Cuprum 200C, Embryo Totalis 200C, Fucus Vesiculosus 30C, Fumaricum Acidum 30C, Plumbum Iod 30C.

- apoplexy in youth, with
- vessels of brain, in

Aurum Iod 200C.

Hedera Helix 30C.

Beat

- cessation, of
- regulation, of

Iberis Amara 200C.

Stigmata Maydis 200C.

Blood congestion

Amyl Nitrate 30C.

Blood count

- changes in, and spleen injury
- R.B.C. disturbance of
- W.B.C. disturbance of

Para-Benzochinonum 30C

Succinic Acid 30C.

Ubiquinone 30C.

Blood degradation	Lachesis 200C.	
Blood flow disturbances	Aesculus 200C, Arnica 200C, Asteria 200C, Baryta Carb 200C, Cocksakie Virus Nosode 200C, Funiculus Umbilicalis 30C, Secale Cor 200C, Tabacum 200C.	- i - j h s - l
- brain, to the	Cerebrum 200C.	
- perepheral and central, with gangrene	Natrum Pyruvicum 30C.	
Blood loss	Cinchona 200C.	
Blood poisoning	Echinacea 200C, Vincetoxicum 200C.	- l - s
Blood pressure		Bl
- hypertension	Anguillare Ichthyotoxin 30C, Aurum Met 200C, Diphtherinum 200C, Hypophysis Posterium 30C, Lachesis 200C, Morgan Pure 200C, Psorinum 200C, Spartium Scoparium Q, Syphilinum 200C, Tuberculinum Bovinum 200C, Tuberculinum Marmorek 200C, Viscum Album 200C.	- t B u B - - c oi Br
- hypertension, cardiac hypertrophy, and	Crataegus Q.	
- hypertension, excessive	Toxoplasmosis Nosode 200C.	- l
- hypertension, kidney diseases, with	Cuprum Met 200C, Picric Acid 200C, Plumbum Met 200C.	Cc di
- hypertension, nephrosis and	Fumaric Acid 200C.	Cc Cc
- hypertension, renal	Melilotus Officinalis Q.	
- hypotension	Bacillus No.7. 200C, Colibacillinum 200C, Corticotrophin 200C, Influenzinum 200C, Oscillococtinum	Ci - l c

200C, Ribonucleic Acid 200C,
Serum Anti-Cobacillary 200C,
Toxoplasma Gondii 200C, V.A.B.
200C, Variolinum 200C.

- increased after long fights Natrum Oxalaceticum 30C.
- increased, and severe
 headaches in morning
 sickness Fumaricum Acidum 30C.
- reduction of Acetanilidum Q, Adrenalin 200C,
 Rauwolfia Serpentina 30C.
- regulation of Rauwolfia Serpentina Q.
- sudden rise Adrenalin 200C.

Blood transfusion

- condition after Para-Benzochinonum 30C.

Blood urea, to reduce in Pilocarpus 200C.
uraemia

Bone marrow

- damage Para Amino Salicylic Acid 30C.
- depression Chloromycetin 200C.
- or agranulocytosis

Bradycardia Digitalis 30C, Naphthoquinone
 30C, Verat Viride 200C.

- B.P. greatly reduced, with Natrum Pyruvicum 30C.

Calcium Metabolism, Tetanus Antitoxin 200C.
disturbances of

Cardiac Arrest, sudden Bacillus No.7.200C, Pituitrin 200C.
Cardiomyopathy Hydrophis Cincinitus 30C.

Circulation

- peripheral, for regulation Crataegus 200C.
- of the

- weak	Fluoric Acid 200C.	Oi
<i>Circulatory collapse</i>	Dl-Malicum Acid 200C.	E
<i>Congestion, passive of, blood</i>	Ferr Met 200C.	-
<i>Coronary</i>		
- blood flow, improvement of the peripheral	Crataegus Q.	- E
- sclerosis	Baryta Iod 200C, Crataegus Q.	
<i>Decompensation, cardiac</i>	Strophanthus 200C.	F
<i>Degeneration fatty, of the heart</i>	Phosphorus 200C.	-
<i>Dilatation, hypertrophy</i>	Morgan Gaertner 200C, Plumbum Met 200C, Thyroidinum 200C.	-
- hypertension, with	Crataegus Q.	F h
<i>Effusion, pericardial</i>	Psorinum 200C.	F t
<i>Embolism</i>		
- prophylaxis	Fumaric Acid 200C.	F
- risk of post-operative	Ubiquinone 200C.	F
<i>Endocarditis</i>	Adonis Ver Q, Convallaria Majalis 30C, Diphtherinum 200C, Phosphorus 200C, Stibium Met D8, Streptococcus Haemolyticus 200C.	
- acute	Spigelia 1M.	
- pericarditis with	Iberis Amara 200C.	-
- rheumatism of the joints, with	Kalmia Lat 200C.	-
<i>Endomyocarditis</i>	Para-Benzochinonum 200C.	
<i>Engorgement with blood,</i>	Belladonna 200C.	-

of the internal vessels

E.S.R.

- increased in chronic
processes of the mucous
membranes

Ubiquinone 200C.

- raised

V.A.B. 200C.

Extra-systoles

Corticotrophin 200C, Dysentery Co
200C, Histaminum 200C,
Thyreotropic Hormone 200C.

Failure of heart

Carbo Veg 200C, Crotallus 200C,
Naja 200C.

- manifest

Crataegus Q.

- oedema secondary to

Apis Mell 200C.

*Fluttering sensation of the
heart on exertion*

Convallaria Majalis 200C.

*Fatty degeneration of
the heart*

Phosphorus 200C.

Haematoma

X-ray 200C.

Haemorrhages

Ambra Grisea 200C, Blumea
Odorata Q, Ferrum Sulph 200C,
Hirudo 200C, Kreosote 200C,
Psorinum 200C, Secale Cornutum
200C, Thlaspi Bursa Pastoris Q,
Trillium Pendulum Q, Ustilago
200C, Vipera 200C, X-ray 200C.

- atonic

Menispermum 30C, Tilia Europaea
30C.

- black

Secale Cornutum 200C, Ustilago
200C.

- bowels and lungs, from

Ficus Venosa Q.

- easy	Dysentery Co 200C.
- hepatic disorders, due to	Carduus Mar Q.
- oozing	Ustilago 200C.
- orifices of the body, from	Vipera Berus 200C.
- pathological	Acalypha Indica Q.
- petechial	Ferr Met 200C, Hirudo Medicinalis 30C, Phosphorus 200C, Variolinum 200C.
- petechial, tendency to	Secale Cor 30C.
- purpura haemorrhagica	Hirudo Medicinalis 200C, Lachesis 200C, Phosphorus 200C.
- red, bright	Millefolium Q, Secale Cornutum 200C, Ustilago 200C.
- sensitive painful feeling is present in the affected parts (uterus or lungs)	Ferrum Met 200C.
- tendencies	Arnica 200C, Cinnamonum 200C, Ferrum Met 200C, Hamamelis Q, Millefolium Q, Natrum Nitricum 200C, Senecio Aureus 200C.
- watery	Hirudo 200C, Secale Cornutum 200C.
- weakness with, severe	Kreosote 200C.
Haemorrhagic inflammations, tendency to	Cantharis 200C.
Haemostatic	Matico Q (local application).
<i>Heart affections after</i>	
- blood calcium disorders	Parathyroidinum 200C.
- collapse states	Veratrum Alb 200C.

- liver disorders	Psorinum 200C.
- movement, slightest	Malandrinum 200C.
- thyrotoxicosis	Dysentery Co 200C, Thyroidinum 200C.
<i>Heart valve defect, with heart murmurs</i>	Spigelia 200C.
<i>Hodgkin's Disease</i>	Syphilinum 200C.
<i>Hyperlipidemia</i>	Chionanthus 30C, Pexid 200C.
<i>I.T.P.</i>	Rajania 30C.
- hemophilia	Hirudo Medicinalis 30C.
- wounds, healing of	Vitamin C 200C.
<i>Infarction, myocardial</i>	Ars Alb 200C, Histaminum 200C, Parathyroidinum 200C.
<i>Inflammation</i>	
- endocarditis	Staphylococcinum 200C, Streptococcinum 200C.
- myocarditis	Diphtherinum 200C, Morgan Gaertner 200C, Toxoplasma Gondii 200C.
- pericarditis	Adonis Ver Q, Phaseolus Nana 200C, Senega Q.
- pericarditis and endocarditis	Iberis Amara 200C.
- pericarditis, rheumatic	Psorinum 200C, Staphylococcinum 200C, Streptococcinum 200C.
<i>Left Ventricular Failure, acute</i>	Aconite Ferox 200C.
<i>Leucocytosis</i>	Tuberculinum 200C.

<i>Leucopenia</i>	D.N.A. 200C, Streptococcinum 200C, X-ray 200C.	- n
<i>Leukaemia</i>	Calc Ars 200C, Medorrhinum 200C, R.N.A. 200C, Succinic Acid 200C, Sulfanilamide 30C, X-ray 200C.	Pei inj Pla
<i>Lymphocytes reduced</i>	Corticotrophin 200C.	Pol
<i>Myocardial damage</i>	Coenzyme A 200C, Leptospirosis Nosode 200C, Phosphorus 200C, Sulphur 200C, Staphylococcus 200C.	Poi sta Poi
- pericardial damage and <i>Myocardial Infarct</i>	Coxsackie Virus Nosode 200C.	Pre pa. bre at
- acute	Histamine Hydrochloride 200C.	
- angina pectoris and	Aconite 200C.	Re.
- collapse states in	Veratrum Alb 200C.	- a
- speedy recovery	Parathormone 30C.	- n
<i>Myocardial insufficiency</i>	Carbo Veg 200C, Convallaria Majalis 200C, Digitalis Q.	Se. Ste
<i>Myocardial strength, to increase the</i>	Adonis Vernalis Q, Stigmata Maydis 200C.	St
<i>Myocardial weakness</i>	Convallaria Majalis 30C, Influenzinum 200C, Laurocerasus 200C, Streptococcinum 200C.	Ta
<i>Myocarditis</i>	Crataegus Q, Streptococcus Haemolyticus 200C, Stibium Met D8.	- F - S
<i>Pain, precordial</i>	Vaccininum 200C.	
<i>Palpitations</i>	Adonis Ver Q, Ferr Met 200C, Iberis Amara 200C, Mygale Avicularis	Th. Th.

	200C, Tuberculinum 200C.
- nervous	Electricitas 200C.
<i>Pericardial and myocardial injuries</i>	Coxsackie Virus Nosode 1M, Crataegus Q.
<i>Platelets reduced</i>	X-ray 200C.
<i>Polycythaemia</i>	Corticotrophin 200C.
<i>Portal circulation, venous stasis in</i>	Aesculus 200C.
<i>Potassium levels reduced</i>	Corticotrophin 200C.
<i>Pressure sensation, palpitations, cardiac pain, breathlessness and anxiety at the heart</i>	Adonis Vernalis Q.
<i>Regurgitation</i>	
- aortic	Adonis Ver Q.
- mitral	Adonis Ver Q.
<i>Senile heart</i>	Baryta Iod 200C, Crataegus Q.
<i>Stenosis, aortic</i>	Naphthoquinone 30C.
<i>Strokes Adam Syndrome</i>	Reserpine 200C.
<i>Tachycardia</i>	Haloperidol 200C, Hedera Helix 30C, Iberis Amara 30C, Lycopus Vir 200C, Nat Iod 200C, Strophanthus 200C.
- paroxysmal	Kali Carb 200C.
- supra ventricular	Majeptil 200C, Rauwolfia Serpentina 30C.
<i>Thalassemia</i>	Cadmium Metallicum 200C.
<i>Thrombo angitis obliterans</i>	Cresol 200C.

<i>Thrombocytopenia</i>	Penicillinum 200C, X-ray 200C.
- idiopathic, chronic	Chlorpromazine 200C.
<i>Thrombophlebitis</i>	Hirudo Medicinalis 200C.
<i>Thrombosis</i>	Chinhydrin 200C.
<i>Valvular Disease</i>	Syphilinum 200C.
- regurgitation mitral and tricuspid	Psorinum 200C.
<i>Varices</i>	Aesculus 200C, Carduus Benedictus 200C, Calc Fluor 200C, Ferr Met 200C.
<i>Vascular disease</i>	Arnica 1M, Influenzinum 200C, Insulin 200C, Secale Cor 200C.
<i>Veins distended</i>	Digitalis Q.
<i>Venous stasis</i>	Aesculus 200C, Aristolochia Clematis 200C, Hamamelis Q.
<i>Weakness, cardiac</i>	Crotalus 200C, Naja 200C.
- bronchiolitis, with	Antimony Ars 200C.
- cancer of the lung and progressive dyspnoea, with	Hydrochinon 200C.
- post-infectious	Crataegus Q.
- tendency to	Cactus Q.
<i>Wolf Parkinson White Syndrome</i>	A.C.T.H. 30C.

URINARY SYSTEM

<i>Abscess, perinephritic</i>	Pyrogen 200C.
<i>Bedwetting</i>	Bacillinum Testicum 200C, Cinchona 200C, Kali Phos 200C, Oxyuris Nosode 30C, Plantago Major 200C, Psorinum 200C, Se- pia 200C.
- first sleep, during	Sepia 200C.
<i>Bladder Irritable</i>	Kali Phos 200C, Plantago Major Q.
- sensitive	Conium 200C.
<i>Calculus</i>	Calc Carb 200C.
- complaints	Berberis Vulg Q, Bryonia 200C.
- colic	Berberis Vulg Q, Mag Phos 200C.
- dissolving for	Galium Aparine 200C.
- formation of	Rubia Tinctorum Q.
- gravel, dissolving for	Galium Aparine 200C.
- gravel, enuresis with pyelitis	Podophyllum 200C.
- gravel, renal colic, tendency towards	Lycopodium 200C.
- left renal	Saxifraga 200C.
- nephrolithiasis and	Berb Vulg Q, Natrum Oxalaceticum 200C, Solidago Vir Q, Stigmata Maydis 200C, Thlaspi Bursa Pastoris Q.
- recurrent	Calcarea Renalis 200C, Parathormone 30C.
<i>Cancer of bladder</i>	DI-Malicum Acid 200C.
- tormenting pains, with	Naphthoquinone 200C.
<i>Catarrh of bladder</i>	Dulcamara 200C.

<i>Cystitis</i>	Apis Mel 200C, Bacterium Coli 200C, Belladonna 200C, Coleus Aromaticus Q, Ferrum Met 200C, Galium Aparine 30C, Hydrastis 200C, Merc Sol 200C, Myrtillus 200C, Nux Vom 200C, Piper Methysticum 200C, Stigmata Maydis 200C, Thuja 200C, Triticum Repens 30C, Uva Ursi Q.	Ha
- acute with tenesmus and mucus secretion	Mezereum 30C.	Hyc Kid con ur bla
- chronic	Bursa Pastoris Q, Otitis Media Nosode 200C, Pichi-Pichi 30C.	Kid
- chronic and urethritis	Hydrastis 200C, Medorrhinum 200C.	Kid witi
- strangury	Hypericum 200C.	Kidr
- women, in	Mitchella Repens 200C.	Kid
<i>Cystopyelitis</i>	Balsamum Peruvianum 200C, Benzoic Acid 200C, Berberis Vulgaris 200C, Bryonia 200C.	Mic - fre of
<i>Diuretic</i>	Cochlearia Officinalis 200C, Fumaric Acid 200C, Galega Officinalis 200C, Kali Nitricum 200C, Lupulus 200C, Stigmata Maydis 200C.	Nep - ac Nep
<i>Enuresis</i>	Asthma Nosode 200C, Sabal serrulata Q.	
- old people in	Chlorpromazine 200C.	- aci
- sitting when	Sarsaparilla Q.	- chu
- waking when	Selenium 200C.	- he
- weakness of the sphincter of the bladder	Ubiquinone 200C.	Oxal
- young children	Alloxan 200C.	Pare

<i>Haematuria</i>	Amygdalus Persica Q, Thlaspi Bursa Pastoris Q, Cantharis 200C, Formica Rufa 200C, Stigmata Maydis 200C.
<i>Hydronephroses</i>	Merc Sol 200C.
<i>Kidney and bladder conditions with pain in urination, cystitis and weak bladder</i>	Helonias Dioica Q.
<i>Kidney and bone diseases</i>	Calc Aceticum 200C.
<i>Kidney and heart diseases with dropsy</i>	Scilla 200C.
<i>Kidney and liver overloading</i>	Berb Vulg Q.
<i>Kidney inflammation</i>	Juniperus Communis Q.
<i>Micturition</i>	
- frequent with distension of the lower abdomen	Sepia 200C.
<i>Nephritis</i>	Ferrum Met 200C, Staphylococcus 1M.
- acute and chronic	Helleborus 200C.
<i>Nephroses</i>	Baryta Oxalsuccinica 200C, Calc Ars 200C, Ferr Ars 200C, Phos 200C, Solidago Vir Q.
- acute glomerulonephritis	Acetylosalicylic Acid 200C.
- chronic	Kali Ars 200C.
- headache with	Zinc Picricum 200C.
<i>Oxaluria</i>	Oxalic Acid 200C.
<i>Paresis of sphincter bladder</i>	Causticum 200C.

Renal

- affections in D.M. Sarothamnus Scoparius 200C.
- chronic conditions Melilotus Off 200C.
- colic Ammi Visnaga 30C, Ars Alb 200C, Bryonia 200C, Medorrhinum 1M, Mitchella Repens 200C, Pareira Brava Q, Penicillin 200C, Plumbum Met 200C, Tabacum 200C.
- colic, acute X-ray 200C.
- colic, left renal Baptisia Q, Cuprum Met 200C, Ipomea 6C.
- colic, pain radiating into the bladder and urethra Equisetum Arvense 200C.
- colic, pain radiating into the extremities, with Dioscorea Villosa 30C.
- colic, right renal Ars Alb 200C.
- degenerative Naphthoquinone 200C.
- diseases Nat Mur 200C.
- failure, chronic Chloremphenicol 200C, Hypophysis 200C, Lobelia Erenus 30C, Streptomycin 200C, Urea 200C.
- function impaired (repercussion on the mesenchyma) Berberis Vulg Q.
- function reduced Fumaric Acid 200C.
- glomerulonephritis Juniperus Communis Q.
- glomerulonephritis, acute Formica Rufa 200C.
- glomerulonephritis, albuminuria with Merc Cor 200C.

- hypertension, with	Plumbum Met 200C.
- hypotension, with	Cuprum Met 200C.
- inflammations, chronic with albuminuria and oedema	Calc Arsenicosum 200C.
- insufficiency	Ammon Benz 200C, Nat Oxalaceticum 200C.
- nephritis, chronic	Sulfanilamide 200C.
- nephrocalcinosis	Parathormone 200C.
- nephrotic syndrome	Cortisone 30C.
- oedematous swellings, with	Lachesis 200C.
- parenchyma damage, albuminuria with	Phosphorus 200C.
- polycystic kidney	Cresol 30C.
- pressure high	Naphthoquinone 200C.
- pyelitis, nephrolithiasis	Coccus Cacti 200C.
- pyelonephritis	Baptisia Q, Belladonna 1M, Bryonia 200C, Calculi Renales 200C, Cocksackie Virus Nosode 200C.
<i>Retention of urine</i>	Coleus Aromaticus Q, Phosphoric acid 200C.
- sensation of pressure in the bladder and involuntary passage of urine with violent pains radiating along the ureters	Eupatorium Purpureum 200C.
<i>Stranguary and suppression of urine</i>	Coleus Aromaticus Q.

Tenesmus of bladder and urethra *Eryngium Aquaticum Q.*

Urethra

- burning	<i>Sulphur 200C.</i>
- stricture	<i>Clematis 200C.</i>
- urethritis, chronic	<i>Argentum Met 200C.</i>
<i>Weakness, bladder</i>	<i>Pneumococcus 200C.</i>

MALE

<i>Balanitis</i>	Benzoic Acid 30C, Candida 200C, Jacaranda 30C, Mezereum 200C.
<i>Congestions in the area of the sexual organ</i>	Yohimbinum 200C.
<i>Epididymitis</i>	Clematis 200C, Merc Bin Iod 200C, Rhododendron 200C, Spongia 200C.
<i>Erections persistent</i>	Agnus Castus 200C.
<i>Excitement sexual</i>	Bufo 200C, Lyssinum 200C, Mygale Avicularis 200C, Veratrum Alb 200C.
<i>Fertility disorders in males</i>	Testis Bovis 200C.
<i>Hydrocele</i>	Digitalis 30C.
- boys of	Abrotanum 200C, Rhododendron 200C.
<i>Impotence</i>	Aegle Folia Q, Damiana Q, Phosphoric Acid 200C.
- male	Phosphoric Acid 200C.
- masturbation and sexual excesses, after	Lycopodium 200C.
- premature ejaculation with flaccid member	Selenium 200C.
<i>Limpness of sexual organs with reduced libido</i>	Agnus Castus 200C.
<i>Masturbation</i>	Phosphoric Acid 200C.
- adolescents	Avena Sativa Q.
- sexual stimulation and	Bufo 200C.

Prostate

- cancer Baryta Oxalsuccinica 200C,
Naphthoquinone 200C,
Sulphonamide 200C, Thymol
200C.
- hypertrophy Benzoic Acid 30C, Chimaphila
Umbellata Q, Clematis 200C,
Conium 200C, Cucurbita Pepo
200C, Damiana Q, Digitalis 200C,
Kreosote 200C, Pareira Brava Q,
Pichi-Pichi 200C, Picric Acid 30C,
Solidago Q.
- prostatitis Balsamum Copaivae 200C, Nat
Oxalaceticum 200C, Selenium
200C, Thuja Q.
- prostaticorrhoea Aurum Met 1M, Ignatia 200C.

Semen

- ejection of semen with
flaccid penis Selenium 200C.
- emission Phosphoric Acid 30C, Picric Acid
200C.

Spermatic cord neuralgia

Cocculus 200C, Hydrastis 30C,
Menyanthes 200C, Mezereum
200C, Petroleum 200C,
Rhododendron 200C, Zinc
Valeriana 200C.

Sperm count, low

Pituitary 200C, Vitamin E 200C.

Testes

- induration Aurum Met 200C.
- inflammation Fumaric Acid 200C, Merc Bin Iod
200C, Spongia 200C.

- undescended

Anterior Pituitary 200C,
Thyroidinum 200C.

Testicles

- disorders of

Rhododendron 200C.

- metastases in

Mumps Nosode 200C.

Ulcer under the prepuce

Nitric Acid 200C.

Varicocele

Aristolochia Clematis 200C.

FEMALE

<i>Abortion</i>	Aloe 200C, Crocus 200C, Filix 200C.
- habitual	Brucella Abortus Bang Nosode 200C, Plumbum Met 200C, Sabina 200C, Toxoplasmosis Nosode 200C, Ustilago Maydis Q.
- threatened	Aletris Farinosa 200C, Cimicifuga 200C, Pinus Lambertina 200C, Rosmarinus Officinalis 200C, Toxoplasmosis Nosode 200C, Ustilago Maydis Q, Viburnum Prunifolium 200C.
<i>Amenorrhoea</i>	Aristolochia Clematis 200C, Gossypium Herbaceum 200C, Luffa Operculata 200C, Ovarian Cyst 200C, Rubia Tinctorum 200C.
- young girls, in	Aquilegia Vulgaris 6C, Corpus Luteum 30C.
<i>Bartholin Cyst</i>	Thuja 1M.
<i>Breast</i>	
- developed weakly	Nux Moschata 30C.
- hard and swollen	Cyclamen 200C.
- heavy like stone	Phytolacca Q.
- hypoplasia	Iodium 200C.
- inflammation	Bryonia 200C, Castor Equi 30C, Lac-C 200C, Nat Oxalaceticum 200C.
- inflammation, pain radiating along the milk ducts	Phellandrium 200C.

- mastitis Phytolacca Q (local application).
- nodules Carbo Animalis 200C, Conium 200C.
- pain stabbing, with itchy skin Asterias Rubens 200C.
- rash on the Dulcamara 200C.
- tumours Asterias Rubens 200C, Mammae Adenoma 200C.

Cancer

- breast Asterias Rubens 200C, Schirrinum 200C.
- breast, ulcerous Ubiquinone 200C.
- cervix Thymol 200C.
- uterus Amorphallus Rivieri 30C, Caltha Palustris Q, Herpes Simplex Nosode 200C, Herpes Zoster Nosode 200C, Paronichia Illecebrum 200C.

Chloasma uterinum

Cadmium Sulph 200C, Sepia 200C.

Displacement of the uterus Aletris Farinosa 200C.

Dysmenorrhoea

Abroma Augusta Q, Abroma Radix Q, Aletris Farinosa 200C, Aquilegia 200C, Coffea 200C, Cuprum 200C, Cyclamen 200C, Gelsemium 200C, Glonoine 200C, Ignatia 200C, Lachesis 200C, Lilium tigrinum 200C, Melilotus 200C, Niccolum Met 200C, Platina 200C, Viburnum Opulus 200C.

- bearing down, with Pulsatilla 200C.
- improves, after onset of bleeding Lachesis 200C.

- membranous	Calc Aceticum 200C.	Lei
- menorrhagia and amenorrhoea	Cimicifuga 200C.	
<i>Eclamptic attacks</i>	Cina 200C, Cinchona 200C, Cuprum Met 200C.	
<i>Endocervicitis</i>		
- chronic	Hydrophis Cincinitus 200C.	- C
<i>Endometritis</i>	Belladonna 200C.	- C
<i>Erosion of cervix</i>	Alnus Q, Antimony Tart 200C, Carbo Animalis 200C, Hydrastis 200C, Murex Purpureus 200C.	- 1
<i>Fertility disorders</i>	Vitamin A 200C.	-
<i>Fibroid, uterine</i>	Parathormone 30C.	-
<i>Fluid retention</i>		-
- menses, before	Folliculinum 200C.	M
- ovulation, during	Folliculinum 200C.	M
<i>Galactorrhoea</i>	Asafoetida 200C, Calc Iod 200C, Cyclamen 200C, Lac Can 200C, Pulsatilla 200C, Urtica Urens 200C, Reserpine 200C.	-
<i>Haemorrhage</i>		-
- uterine, atonic	Ustilago Maydis 30C.	M
<i>Herpetic eruptions on the genitals, especially before menstruation</i>	Dulcamara 200C.	
<i>Itching of the genitals</i>	Ambra Grisea 200C, Medorrhinum 200C, Sulphuric Acid 200C.	-
<i>Lactation promotion, of</i>	Galega Off 200C.	-

Leucorrhoea

Aletris Farinosa 30C, Aristolochia Clematitis 200C, Fluoric Acid 200C, Fumaric Acid 200C, Hydrastis 200C, Hydrocotyle Asiatica Q, Kali Bich 200C, Medorrhinum 200C, Nitric Acid 200C, Penicillin 200C.

- chronic

Candida 200C, Cimicifuga 200C.

- egg-white like

Petroleum 200C.

- offensive

Carbolic Acid 200C.

- painless

Agnus Castus 200C.

- purulent

Kali Bich 200C.

- runny

Nitric Acid 200C.

- young girls, in

Calc Carb 200C, Cubeba 30C, Merc I F 200C.

- weakness with, great

Thlaspi Bursa Pastoris Q.

Menopausal sweats

Calc Carb 200C.

Menopause

Amyl Nitrosum 200C, Aquilegia 200C, Corpus Luteum 200C, Sepia 200C.

- menstruation heavy,
lasting too long in the

Calc Carb 200C.

- metrorrhagia in the

Crotalus 200C.

Menorrhagia

Bovista 200C, Carbo Animalis 200C, Kali carb 200C, Menispermum Q, Thlaspi Bursa Pastoris Q, Ustilago Maydis Q.

- climacteric, in the

Natrum Brom 200C.

- young girls, in

Bunias Orientalis 30C,
Menispermum 30C.

Menstrual Bleeding

- foul-smelling Belladonna 1M.
- heavy Arum Maculatum 200C, Citrus
Limonum Q.
- heavy and occurring too Hyoscyamus 200C.
early (14 days and earlier)
- irregular Abroma Radix Q.
- scanty Abroma Radix Q.

Menstrual Colic

- Medorrhinum 200C.
- annoyance, following Chamomilla 200C.
- dysmenorrhoea with Mag Phos 1M.
neuralgic complaints with,
improves when bleeding
starts

Menstrual Disturbances

Aquilegia 200C.

*Menstrual vomiting with
severe migraine and
dysmenorrhoea*

Gelsemium 200C.

Menstruation

- depression with Aquilegia 200C.
- early too Bovista 200C, Hydrocotyle
Asiatica Q, Lamium Album 200C,
Thuja 200C.
- early, heavy, too long, Calc Carb 200C.
especially during the
climacteric
- epileptiform attacks before Curare 200C.
- painful Aquilegia 30C.
- profuse Acetic Acid 200C.
- promoting for Sorbus Aucuparia 200C.

- sparse

Phosphorus 200C.

Metritis

Aurum Iod 200C, Berberis Vulgaris Q, Hypericum 200C, Psorinum 200C, Tuberculinum 200C.

Metrorrhagia

Bovista 200C, Crocus 200C, Erigeron Canadensis Q, Kali Carb 200C, Medorrhinum 200C, Nitric Acid 200C, Thlaspi Bursa Pastoris 200C, Ustilago Maydis Q.

- climacteric, in the

Crotalus 200C.

- dark, coagulated blood with, and cramp attacks

Chamomilla 1M.

- menorrhagia and

Ipecac 200C.

- night-time

Badiaga 200C.

- post partum

Sabina 30C.

Milk

- deficiency of, women in confinement

Jaborandi 200C.

- dry up to, in lactation

Asafoetida 200C.

Myoma bleeding

Platinum Met 1M.

Myoma formation

Aurum Iod 1M.

Nipples

- fissures of the

Graphites 200C.

- sore

Graphites Q (local application).

Ovary

- complaints of

Lachesis 200C.

- cyst, left

Palladium 200C.

- dysfunction of the	Lachesis 200C.
- inflammation	Apis Mell 200C, Belladonna 200C, Berberis Vulg 200C, Palladium 200C.
- inflammation, left	Lachesis 200C, Lil Tig 200C, Medorrhinum 200C.
- neuralgia	Gossypium Herbaceum 200C, Staphysagria 200C, Viburnum Opulus 200C.
- neuralgia, bleeding with	Ustilago Maydis Q.
- neuralgia, left	Cimicifuga 200C.
- oophoritis	Merc Sol 200C.
- oophoritis, condition following	Coxsackie Virus Nosode 200C.
- pain burning	Cantharis 200C.
<i>Pregnancy, for easy delivery</i>	Vitamin E 200C.
<i>Premenstrual syndrome</i>	Ergotinum 30C.
<i>Pruritus</i>	
- pudendi	Borax Q (local application).
- vaginae	Mentha Piperita Q (local application).
- vulval	Anthrachinon 200C, Codeinum 6C, Collinsonia Canadensis 200C, Hydrastis 200C, Mentha Piperita Q, Platina Met 200C, Rhus Tox 200C, Thuja Q.
<i>Retained placenta</i>	Gossypium Q.
<i>Salpingitis</i>	Apis Mel 200C, Bacterium Coli

	200C.
- chronic	Tuberculinum Residuum 200C.
<i>Sterility</i>	Damiana Q, Ferr Met 200C.
- anovulatory cycles	Vitamin E 200C.
<i>Vaginal prolapse</i>	Ocimum Sanctum 30C.
<i>Vomiting of pregnancy</i>	Aletris Farinosa 200C, Cerium Oxalicum 30C, Gossypium Herbaceum 200C, Lac Vaccinum Defloratum 200C.
- coughing with	Nux Moschata 200C.
- obstinate cases	Psorinum 200C.

CENTRAL NERVOUS SYSTEM

<i>Amputation, irritability of the stump</i>	Symphytum 200C.
<i>Amytrophic Lateral Sclerosis</i>	Medulla Spinalis 200C, Multiple Sclerosis Nosode 200C, Poliomyelitis Sclerosis Nosode 30C.
<i>Aphasia , apoplectic stroke, in</i>	Bothrops Lanceolatus 200C.
<i>Aphonia</i>	Larynx 200C, Paris Quadrifolia 30C, Phosphorus 200C, Populus Candicans 30C.
<i>Apoplectic Stroke</i>	Arnica 200C, Belladonna 200C, Carbo Veg 200C, Glonoine 200C, Lachesis 200C, Papaver 200C.
- condition after	Causticum 200C.
- post-apoplectic paresis	Nat Oxalaceticum 200C.
- speech disorder, with	Laurocerasus 200C.
- threatened	Asterias Rubens 200C.
<i>Ataxia</i>	Chlorpromazine 200C.
<i>Brain</i>	
-fatigue	- Zinc Picricum 200C.
- functional weakness and circulatory disorders,of the	Ambra Grisea 200C, Anacardium Or 200C, Cerebrum 200C, Chinhydron 200C, Cicuta Virosa 200C, Hypericum 200C, Solanum Nigrum 200C.
- tumours, rapidly growing	Naphthoquinone 200C.
<i>Bulbar paralysis</i>	Medulla Oblongata 200C.

Cerebral

- abscess Merc Praecipitatus Ruber 200C.
- pressure Asterias Rubens 200C.
- sclerosis Arnica 200C, Aurum Met 200C, Baryta Carb 200C.

Chorea

- Dysentery Co 200C, Hippozaeninum 200C, Psorinum 200C, Streptococcinum 200C.
- Sydenham's Chorea Agaricinum 200C, Agaricus 200C, Artemisia Vulgaris 200C, Cuprum Met 200C, Zinc Cyanatum 200C, Zinc Met 200C, Zizia Aurea 200C.

Dystonia

- autonomic Adrenalin 200C, Tetracycline 200C.

Encephalitis

- Baptisia Q, Pyrogen 200C.
- benign Rajania 200C.
- condition after Cerebrum 200C, Coxackie-Virus Nosode B4 200C.
- temperatures, with very high Aconite 200C.
- vaccination after Aconite 200C.

Epilepsy

- Agaricinum 200C, Asterias Rubens 200C, Atropine Sulph 200C, Cicuta Virosa 200C, Cuprum Met 200C, Hyoscyamus 200C, Ignatia 200C, Lyssinum 200C, Serotonin 200C, Solanum Carolinense 200C, Stramonium 200C, Zinc Cyanatum 200C.
- chronic Chlorpromazine 200C.
- traumatic Naphthoquinone 200C.

Lateral Sclerosis

- amyotrophic MS Nosode 200C, Poliomyelitis Nosode 200C.

Meningitis

Baptisia Q, Belladonna 1M, Glonoine 200C, Ignatia 200C.

- abacterial Coxsackie Virus Nosode B4.

- acute Zinc Sulph 200C.

- haemorrhagic Cantharis 200C.

- serous Apis Mell 200C.

Multiple Sclerosis

Formic Acid 200C, Lathyrus Sativus 200C, Para-Benzochinonum 200C, Plumbum Met 200C, Poliomyelitis Nosode 200C, Tetanus Antitoxin 200C.

- progressive Ubiquinone 200C.

Muscle and joint pain Penicillin 200C.

Muscle and joint rheumatism Ammon Phos 200C.

Muscular atrophy

- progressive Carboneum Sulphuratum 200C, Plumbum Iod 200C.

Muscular contractions Cimex Lectularius 200C.

Muscular cramp Cuprum Met 200C, Tetanus Antitoxin 200C.

- tendency towards Sulphuric Acid 200C.

Muscular development weak Lycopodium 200C.

Muscular pain Benzoic Acid 200C, Ferrum Sulph 200C.

- cramp-like Angustura 200C.

Mus

Mus

Mye

Nerv

pain

axill

Neu

- fa

- fa

- fa

- in

-

-

Ne

-

P

<i>Muscular rheumatism</i>	Angustura 200C, Nux Mosch 200C.
<i>Muscular soreness</i>	Arnica 200C.
<i>Myelitis</i>	Lathyrus Sativa 200C.
<i>Nerve paths, fine stabbing pain within various (plexus axillaris)</i>	Spigelia 200C.
<i>Neuralgia</i>	Carbolic Acid 200C, Chamomilla 200C, China Ars 3X, China Sulph 6X, Formic Acid 200C, Heloderma 200C, Salicylic Acid 200C, Veratrina Q (local application).
- facial	Carboneum Sulph Q (local application).
- facial, right sided	Citrus Vulgaris Q.
- formication with	Aconite 1M.
- intercostal	Asclepias Tuberosa 200C, Bryonia 200C, D.N.A. 200C, Dulcamara 200C, Mag Phos 200C, Ranunculus Bulb 200C.
- post herpetic	Plantago Q (local application).
- trigeminal (pain in middle ear, nasal cavities, tonsils)	Lithium Carb 200C, Mustard Oil (inhalation).
<i>Neuritis</i>	Aranea Ixabola 200C, Bunias Orientalis 200C, Formica D6, Majeptil 200C.
- peripheral neuritis	Leprominium 200C, Rhus Tox 6C (local application).
<i>Paraesthesia</i>	Aconite 200C, Aesculus 200C, Agaricinum 200C, Coccus Cacti 200C, Rhododendron 200C.

- cold feeling with	Agaricus 200C.
- neuralgia symptoms with	Aconite 200C.
- one-sided	Primula Veris 200C.
<i>Paralysis</i>	Thalamus 200C.
- agitans	Baryta Mur 200C, Heloderma 200C, Lyssinum 200C, Tarentula 200C.
- ascending	Sarcocollactic Acid 200C.
- bulbar	Cantharis 30C, Gelsemium 30C, Manganum Phos 30C.
- bulbar, with inability to swallow	Aurum Maculatum 30C.
- bulbar, with throat constriction and speech disorder	Coccus Cacti 30C.
- motor nerves	Gelsemium 200C.
- post-diphtherial	Gelsemium 30C, Kali Phos 200C.
<i>Paralysis Agitans</i>	Nicotinum 200C, Rhus Tox 200C.
<i>Paraplegia</i>	Botulinum 200C, Diphtherinum 200C, Leprominium 200C, Toxoplasma Gondii 200C.
<i>Parkinson's Disease</i>	Duboisia 30C, Haloperidol 200C, Majeptil 200C, Rauwolfia Serp 30C, Reserpine 200C.
- trembling	Lac-C 200C.
<i>Poliomyelitis</i>	Hydrophis Cyanocinctus 200C.
<i>Spasms, flexion and extension</i>	Colchicum 200C.
<i>Tics</i>	Agaricus 200C, Tanacetum

	Vulgare 200C.
- convulsive, and painful	Bismuth Met 200C, Oxyuris Nosode 200C.
<i>Trembling</i>	
- finger	Lac-Fel 200C, Lyssin 200C, Medorrhinum 200C, Psorinum 200C, Tuberculinum 200C, X-ray 200C.
- grasping object	Lyssin 200C.
- hand	Lac-Fel 200C, Lyssin 200C, Medorrhinum 200C, Pediculus 200C, Psorinum 200C, Tuberculinum 200C, X-ray 200C.
<i>Tremors of hand</i>	Aranea Diadema 200C, Bacillinum 200C, Conium 200C, Lolium Temulentum 200C, Psorinum 200C.
- alcoholic	Phosphorus 200C.
<i>Trismus</i>	Causticum 200C, Kali Phos 200C.
<i>Twitching muscular</i>	Zinc Valeriana 200C.
<i>Weakness functional, and circulatory disorders of the brain</i>	Cerebrum 200C.

BACK

Ankylosing

- fibrous Tuberculinum Residuum 200C.
- spondylarthritis Alloxan 30C, Mandragora
 Officinarum 200C, Sarcolactic Acid
 200C, Tuberculinum Residuum
 200C.
- spondylitis Carcinosin 200C, Medorrhinum
 200C, Tuberculinum Residuum
 200C.

Arthritis

- crackling of joints, with Flavus 200C.
- disc, intervertebral,
 pathology with Paratyphoidinum B 200C.
- osteoarthritis Bacillus No.7.200C, Corticotrophin
 200C, D.N.A. 200C, Morgan Pure
 200C.
- rheumatoid arthritis Flavus 200C.

Coldness of back Pimpinella Alba 200C.

Coxitis Argentum Met 200C, Calc Carb
 200C, Medorrhinum 200C, Me-
 dulla Ossis 200C.

Nape of the neck

- pains with irritations of Adonis Vernalis Q.
 the spine
- sweating of the Calc Carb 1M.

Neck muscle, weakness of Ginseng Q.

Pain

- | | |
|--|--|
| - coccyx | Castor Equi 200C, Fluoric Acid 200C, Ginseng 200C. |
| - coccyx, forces the patient out of bed in the morning | Staphysagria 200C. |
| - coccyx, left | Medorrhinum 200C. |
| - lumbo-sacral | Aesculus 200C. |
| - lumbo-sacral, radiating into the abdomen | Variolinum 200C. |
| - particularly on sitting down | Zincum Met 30C. |
| - sacral | Berberis Vulg 200C, Causticum 200C, Carboneum Sulph 200C, Lithium Carb 200C. |

Pott's Disease

Syphilinum 200C, Tuberculinum 200C.

Prolapsed intervertebral disc

Ambra Grisea 200C, Bacillus
Proteus 200C, Lumbar Disc 200C,
Macroton 30C, Medorrhinum 1M,
Variolinum 200C.

- sexual function derangement, with

Ambra Grisea 200C.

*Sacral weakness, as if
paralyzed*

Cocculus 200C.

Scheuermann's Syndrome
(painful dorsal kyphosis in children).

V.A.B. 200C.

Sever's Syndrome

V.A.B. 200C.

Shuddering over the back

Boletus Laricis 200C.

<i>Spondylosis</i>	Dysentery Co 200C, Morgan Pure 200C.
- cervical	Medorrhinum 200C, Phosphoric Acid 200C, Rhodium 200C, Senecio Jacobaea 200C.
<i>Rheumatism</i>	Malaria Officinalis 200C, Medorrhinum 200C, Psorinum 200C, Syphilinum 200C.
<i>Spondylosis, cervical</i>	D.N.A. 30C, Senecio Jacoboea 6C
<i>Torticollis</i>	Histamine Hydrochloride 200C, Majeptil 200C.

EXTREMITIES

Ankles

- gout and rheumatism Stellaria Media 6C.
- pain in left ankle while walking Erigeron 30C.
- sprain, chronic Strontium Carb 200C.
- weakness or turn easily Pinus Sylvestra 200C.

Arthritis

- Ammonium Phos 200C,
Aristolochia Clematis 200C,
Glandula Parathyreoidea 200C,
Hippuric Acid 200C, Morgan
Gaertner 200C, Parathormone
200C, Paratyphoidinum B 200C,
Sulphur 200C, Syphilinum 200C,
Tuberculinum 200C, Tuberculinum
Residuum 200C.
- deformans Apatit D6, Bacillus No.7.200C,
Sycotic Co 200C.
- infectious O.A.N. 200C.
- knees Bryonia 12C, Convallaria Majalis
200C, Ginseng Q, Sticta Pul 3C.
- knees, violent, in rainy weather Erigeron Canadensis Q.
- periarthritis humeroscapularis Apis Mell 200C, Guaiacum 200C.
- polyarthritis Arthritis Urica Nosode 200C.
- polyarthritis, acute Bryonia 200C, D1-Malicum Acid
200C, Ferr Phos 200C,
Rhododendron 200C.
- polyarthritis, chronic Streptococcus Haemolyticus 200C.

- polyarthritis, chronic, primary	Rhododendron 200C.	A
- polyarthritis, chronic, swellings	Diphtherinum 200C, Manganum Aceticum 200C.	-
- rheumatic	Abrotanum 30C, Ammon Carb 200C, Bryonia 6C, Causticum 200C, Ferrum Phos 12X, Mezereum 200C, Natrum Pyruvicum 200C, Rhododendron 200C, Salicylic Acid 200C, Vaccinium 200C.	- - A n E
- rheumatism	Antim Crud 200C, Benzoic Acid 200C, Carboneum Sulph 200C, Causticum 200C, Cham 1M, Colchicum 200C, Fagopyrum 200C, Formic Acid 200C, Lithium Benz 200C, Mandragora Q.	E - - -
- rheumatism, acute	Streptococcus Haemolyticus 200C.	
- rheumatism, chronic and gouty symptoms	Causticum 200C, Kali Bi 200C, Mag Phos 200C, Ran Bulb 200C.	I
- rheumatism, endocarditis with	Kalmia Lat 200C.	I
- rheumatoid	Bacillus No.7.200C, Benzoic Acid 30C, Causticum 200C, Gnaphalium Polycephalum 200C, Mandragora 200C, Morgan Pure 200C, Supra Renal Extract 200C, Thyroidinum 200C, Tylophora Indica 6X.	
- shoulder	Chamomilla 30C, Mag Carb 200C.	
- uric acid diathesis, with	Ammonium Benzoicum 200C, Lithium Benzoicum 200C, Lithium Mur 200C.	
- when all else fails	Morgan Pure 200C.	

<i>Arthrosis</i>	Ammonium Phos 200C, Glandula Parathyreoidea 200C, Mandragora 200C, Strontium Carb:200C.
- chronic	Manganum Metallicum 200C.
- knee	Bacillinum 200C.
- pain, severe	Chinhydrin 200C.
<i>Atrophy, progressive muscular</i>	Carboneum Sulph 200C, Plumbum Iod 200C.
<i>Berger's Disease</i>	Placenta Materna 200C, Secale Cor 30C.
<i>Burning</i>	
- heat of hands and pains, with	Medorrhinum 200C.
- itching feet, and	Sulphur 200C.
- soles of feet, must stick the feet out of bed	Sanguinaria 200C.
<i>Bony or growing pains</i>	Conchiolinum 30C, Vitamin D 200C.
<i>Bursitis</i>	Succinic Acid 200C.
<i>Calcaneal Spur</i>	Conchiolinum 30C.
<i>Collapse of knee while walking</i>	Cocculus 200C.
<i>Contracture</i>	
- Dupuytren's contracture	Arnica 200C, Graphites 200C, Psorinum 200C, Tuberculinum 200C, Tuberculinum Residuum 200C.
- fingers, flexors	Bacillus Proteus 200C, Tuberculinum Residuum 200C.
<i>Cool and bluish discoloration of hands and</i>	Agaricus 200C.

feet with chilblains

Corns

- heels, palmar surface Malandrinum 200C, Psorinum 200C.
- heels, plantar surface Malandrinum 200C, Mcrgan Pure 200C, Psorinum 200C.

Cramp

- calves Ambra Grisea 200C, Cuprum Met 200C, D.N.A. 200C, Lyssin 200C, Mag Phos 200C, Secale Cor 200C, Tuberculinum 200C, Ustilago 200C.
- calf, left V.A.B. 200C.
- children, in Cinchona 200C.
- dancers Bacillus Proteus 200C.
- feet Hippozaeninum 200C, Pneumococcin 200C.
- feet and calves Gnaphalium 200C.
- fingers Hippozaeninum 200C, V.A.B. 200C.
- -
- grasping an object Ambra Grisea 200C.
- painful Hippozaeninum 200C, Psorinum 200C, Sarcolactic Acid 200C.
- writer's cramps Kali Phos 200C, Mag Phos 200C.
- Crepitus joints* X-ray 200C.
- Dislocation ankles* Psorinum 200C.
- Elephantiasis* Hippozaeninum 200C.
- Epicondylitis* Spirea Ulmaria 200C.
- Exostoses* Calc Fluor 6X.

- feet, jaw and at other sites Hekla Lava 200C.
- Fatigue state, in the forearms* Arg Nit 200C.
- Formication* Secale Cor 200C.
- neuralgia in Aconite 200C.
- Ganglia* Ruta Graveolens Q (local application).
- back of the hand, on Ammonium Carb 200C.
- wrist on Benzoic Acid 200C, Ruta 200C.
- Gout* Benzoic Acid 200C, Thlaspi Bursa Pastoris Q, Lithium Benzoicum 200C, Natrum Oxalaceticum 200C, Silicea 200C, Thuja 200C.
- chronic rheumatism of the joints, with Abrotanum 200C, Lithium Carb 200C, Natrum Mur 200C, Ranunculus, Bulbosus 200C.
- cracking of joints, on movement Causticum 200C, Cocculus 200C.
- deposits and Rhododendron 200C.
- Heat and burning of palms* Lil Tig 200C.
- Heel*
- pain Aranea Diadema 200C, Tartaric Acid 200C.
- pain, spasmodic Aristolochia Clematis 200C.
- sensitivity of heels and soles Medorrhinum 200C.
- Hip Joint*
- complaints, right sided pneumonia, with Chelidonium Q.
- disease Lyssinum 200C.

- inflammation, involving synovial membrane Mezereum 200C.

- pain Hyoscyamus 200C.

Inflammation of the knee joints involving the synovial membrane Mezereum 200C.

Itching

- hands and fingers Anagallis Q.

Joints

- cracking of Natrum Sulph 200C, Petroleum 200C.

- pain Ammon Phos 200C, Arg Nit 200C, Rhododendron 200C, Silicea 200C.

- stiffness in all Causticum 200C, Petroleum 200C.

- twisting of the Cortisone Acetate 200C, Nat Carb 200C, Nat Mur 200C, Nat Pyruvicum 200C, Psorinum 200C.

Limbs going to sleep

- hands and arms Hyoscyamus 200C.

- legs Fluoric Acid 200C.

Muscular dystrophy Veratrum Viride 30C.

Nails

- hang nail with inflammatory irritations of the ungual phalanges Natrum Mur 200C.

outgrowth horny, on finger nails Antim Crud 200C.

- paronychia Aristolochia Clematis 200C.

- paronychia, chronic Asafoetida 30C.

<i>Osteo arthritis</i>	Bryonia Radix D3.
- chronic	Alloxan 30C, O.A.N. 200C.
- erratic	Paratyphoidinum B 200C.
<i>Osteochondritis</i>	Apatit D6.
<i>Osteomyelitis</i>	D.N.A. 200C.
<i>Osteoporosis</i>	Dysentery Co 200C, Cortisone 200C, Mucor Mucedo 200C.
- post traumatic	Cortisone 200C, Parathormone 200C.
- post traumatic, painful	Parathormone 200C.
<i>Osteosarcoma</i>	Beryllium Met 30C, Syphilinum 200C.
<i>Paget's Disease</i>	Parathormone 200C.
<i>Paraesthesia of extremities</i>	Latrodectus Mactans 200C.
<i>Pert's Disease</i>	Apatit D6.
<i>Polyarthritis</i>	Penicillin 200C.
<i>Raynaud's disease</i>	A.C.T.H. 200C.
<i>Rheumatism</i>	Alstonia Scholaris Q (local application), Gaultheria Q (local application), Methylum Salicylicum Q (local application), Stellaria Media Q (local application).
- arm	Bacillus No.7.200C, Sycotic Co 200C.
- calf pain, rheumatic	Salicyclic Acid 200C.
- chronic	Rauwolfia Serpentina 200C.
- damp	Medorrhinum 200C.
- elbow	Gnaphalium 200C, Hyoscyamus 200C, Salicylic Acid 200C, Sycotic Co 200C.

- elbow, left	Tabaccum 200C.
- elbow, right	Ambra Grisea 200C.
- fibrositis	Bacillus No.7.200C, Bacillus No.10.200C, Bacillus Gaertner 200C, Morgan Gaertner 200C, Morgan Pure 200C, O.A.N. 200C.
- finger joints	X-ray 200C.
- hand joints	Hyoscyamus 200C.
- hip	Malandrinum 200C.
- knee	Sycotic Co 200C.
- motion, continued ameliorates	Medorrhinum 200C.
- shoulder	Bacillus No.7. 200C, Dysentery Co 200C, Gaertner 200C, Medorrhinum 200C, Morgan Gaertner 200C, Morgan Pure 200C, Sycotic Co 200C.
- wrist	Bacillus No.7. 200C, Hippozaeninum 200C, Medorrhinum 200C, Morgan Gaertner 200C, Sycotic Co 200C.
<i>Sciatica</i>	Carboneum Sulph Q (local application), Carcinosis 200C, Cimicifuga 200C, Flavus 200C, Formic Acid 200C, Gnaphalium Polycephalum 200C, Lac-D 200C, Lac-Hum 200C, Medorrhinum 200C, Proteus 200C, Psorinum 200C, Ranunculus Bulbosus Q (local application), Salicylic Acid 30C, Succinic Acid 200C, Thalamus 200C, Zinc Sulph 200C.
- diabetes mellitus, with	Kreosote 200C.
<i>Skeletal Metastasis</i>	Apatit D6.

<i>Smoker's leg</i>	Secale Cor 200C.
<i>Stamping feet with vibrating sensation in the spinal column when lying stretched out</i>	Streptococcus Haemolyticus 200C.
<i>Swelling of the finger joints</i>	Actaea Spicata 200C, Spigelia 200C.
<i>Tendon</i>	
- injury	Symphytum 1M.
- tendinitis	Penicillin 200C.
<i>Tennis Elbow</i>	Ambra Grisea 200C.
<i>Tibial pain</i>	Mezereum 200C.
<i>Tremor of limb</i>	Merc Cor 200C.
- palpitations and	Petroleum 200C.
<i>Tubercular Disease</i>	
- joints	Tuberculinum 200C.
- hip	Tuberculinum 200C.
<i>Varicose Veins</i>	Tuberculinum Residuum 200C.
- haemorrhages and	Hamamelis Q.
- painful	Vitamin B 200C.
- ulcer	Agrimonia 200C, Alstonia Q, Calc Iod 30C, Carduus Mar Q, Clematis Vitalba 200C, Hamamelis Q, Lachesis 200C, Pyrogen 200C, Sulphur 200C.
<i>Vesicle formation on the fingers</i>	Ranunculus Bulb 200C.

ENDOCRINES

<i>Adiposity</i>	Adeps Suillus 200C, Glandula Thyreoidea 200C.
- children in, due to deficient function of the gland thyroid	Influenzinum 200C.
- underdevelopment of sexual organs, with	Hydrochinon 200C.
<i>Addison's Disease</i>	Adrenalin 200C, Glandula Suprarenalis 200C, Para-Benzochinonum 200C.
<i>Adrenal Failure</i>	Para-Benzochinonum 200C.
<i>Adrenaline function deficient</i>	Naphthoquinone 200C.
<i>Adrenocortical damage</i>	Cortisone 200C.
<i>Asdiposo-genital Dystrophy</i>	Cortisone 200C, Funiculus Umbilicalis Suis 200C, Hydrophysis 200C.
<i>Cretinism</i>	Thyroidinum 200C.
<i>Cushing's Syndrome</i>	Corticotrophin 200C, Cortisone 200C.
<i>Diabetes Insipidus</i>	Ambra Grisea 200C, Corticotrophin 200C.
<i>Diabetes Mellitus</i>	A.C.T.H. 200C, Ars Brom Q, Cortisone 200C, Curare 200C, Galega Off 200C, Helonias Dioica 200C, Kali Aceticum 200C, Lac-D 200C, Magnesium Aceticum 200C, Merc Dulcis 200C, Natrum Sulph 200C, Pancreatinum 200C, Phaseolus Nanus 200C, Phloridzine 200C, Sarcolactic Acid 200C, Sulphur 200C, Sulphonamide 200C, Syzygium Jambolanum Q.

- albuminuria and	Helonias Dioica 200C.
- incipient	Staphysagria 200C.
- uncontrollable	Pancreas D6.
<i>Exophthalmos</i>	Lycopus Vir 200C, Natrum Nitricum 200C.
- headache with goitre	Ephedra Vulgaris 200C.
<i>Goitre</i>	Fluoric Acid 200C.
- diffused	Sulfanilamide 200C.
<i>Grave's Disease</i> (Basedow's Disease)	Adonis Vernalis 200C, Lycopus Virginicus 200C.
<i>Hyperthyroidism</i>	Dysentery Co 200C, V.A.B. 200C.
<i>Hypothyroidism</i>	Cortisone 200C, R.N.A. 200C, Thyroidinum 200C.
<i>Immaturity, endocrine</i>	Pituitrin 200C.
<i>Pheochromocytoma</i>	Aranea Ixobola 200C.
<i>Pituitary</i>	
- and adrenal cortex, dysfunctions	A.C.T.H. 200C.
- disorders with obesity or emaciation of endocrine origin	Cimicifuga 200C.
<i>Thyroid</i>	
- cardiac complications	Penicillin 200C.
- disease	Ferrum Sulph 200C, Iodium 200C, Kali Iod 200C, Lycopus Virginicus 200C, Nat Iod 200C, Thyroidinum 200C.
- dysthyroidism, tending to	Cortisone 200C, D.N.A. 200C,
- hypothyroidism	Histaminum 200C, Penicillinum 200C, R.N.A. 200C, Thalamus 200C.

- enlarged	Dysentery Co 200C, Morgan Pure 200C, Psorinum 200C, Sycotic Co 200C, Thyroidinum 200C, Tuberculinum 200C.
- hyperthyroidism	Penicillinum 200C, Thyreotropic Hormone 200C, Thyroidinum 200C.
- hypothyroidism	Bacillus No.7.200C, Hypothalamus 200C, R.N.A. 200C, Penicillinum 200C, Thyroidinum 200C.
- regulation of function	Thyroidinum 200C.
<i>Thyroiditis-Riedl</i>	Hedera Helix 200C.

B
n

F

-

-

-

-

-

-

-

-

-

-

-

F

-

-

-

Ir

FEVER

<i>Body temperature below normal</i>	Heloderma 200C.
<i>Febrile states</i>	Aconite 200C, Echinacea Angustifolia 200C, Ferrum Phos 200C.
- general, subacute and lingering with myocardial weakness and fluttering pulse	Salmonella Paratyphi B 200C.
- chill, alternating with	Aconite 200C.
- chronic, of all kinds	China Ars 200C, Mastoiditis Nosode 200C.
- high with dyspnoea	Diphtherinum 200C.
- inner coldness, with	Heloderma 200C.
- intermittently occurring	Aranea Diadema 200C.
- shivering, beginning with	Malaria Nosode 200C, Natrum Mur 200C.
- thirst with	Ferrum Met 200C.
- violent, with subsequent prostration	Camphora 200C.
<i>Flu</i>	
- exhaustion of the nervous system, with	Cypripedium Pubescens 200C.
- nerve and muscle pains	Cimicifuga 200C, I.T.N. 30C.
<i>Influenza</i>	Aconite 200C, Belladonna 200C, Bryonia 200C, Causticum 200C, Eucalyptus 200C, Eupatorium

	Perfoliatum 200C, Lachesis 200C, Merc Cor 200C, Stramonium 200C.	
<i>Limb pain, with fever</i>	Poliomyelitis Nosode 200C.	Ac
<i>Malaria</i>	Eupatorium Purpureum 200C, Nat Mur 200C.	-
- chronic	Andersonia Q.	A
- never well since or recurrent malaria	Malaria Officinalis 30C.	A B
<i>Periodicity between 1p.m. and 6 p.m.</i>	Cedron 200C.	B
<i>Plague-bubonic</i>	Rajania 200C.	
<i>Septic</i>	Baptisia Q.	
<i>Typhoid</i>	Echinacea Q.	-
- and falling of hair after typhoid	Chloromyecitin 200C.	-
- resistant	Streptomycin 200C.	-
- septic conditions, with	Baptisia Q.	

SKIN

<i>Acne rosacea</i>	Ars Brom 30C, A.C.T.H. 200C, Eugenia Jambos 30C.
- pimples of adolescence	Chlorpromazine 200C, Cortisone 200C, Folliculinum 200C.
<i>Alopecia, body in general, of</i>	Histaminum 200C.
<i>Anthrax</i>	Staphylococcus 200C.
<i>Barber's Itch</i>	Cicuta Vir 30C, Sulph Iod 30C.
<i>Boils</i>	Achyranthes Aspera Q, Anatherum 30C, Nitric Acid 200C, Anthracinum 200C, Belladonna 200C, Lachesis 200C, Merc Sol 200C.
- burning	Ars Alb 200C, Tarentula Cubensis 200C.
- inceptient	Belladonna 200C.
- recurrent	Penicillin 200C, Quartz 200C, Syphilinum 200C.
- small and painful	Arnica 200C.
<i>Bruises</i>	Arnica 200C, Bellis Per 200C, Calendula Q, Symphytum 200C.
- pain remains after	Verbena Officinalis 200C.
- patches under the skin, bruised	Arnica 200C.
<i>Burning skin</i>	Cantharis 30C, Kali Mur 6X (local application).
<i>Burns</i>	Cantharis Q (local application), Momordica Balsamina Q (local application), Zinc Oxide 6C (local application).
- never well since	Supra Renal Gland 200C.

<i>Carbuncle</i>	Anthracinum 200C, Lachesis 200C, Merc Sol 200C, Muriatic Acid 200C, Swine Fever Serum Nosode 200C.
- diabetic	Rajania 200C.
- or boils secreting foul-smelling purulent secretions	Lachesis 200C.
<i>Carcinoma of skin</i>	Ubiquinone 200C.
<i>Chapped or cracked hands</i>	Petroleum 200C.
<i>Chicken Pox</i>	Sycotic Co 200C, Variolinum 200C.
<i>Condyloma</i>	Nitric Acid 200C, Thuja 200C.
- stubborn	Merc Sol 200C.
<i>Contusions</i>	Arnica 1M.
- bruises and	Conium 200C.
<i>Dermatitis, exfoliative of the newborn</i>	Viola Tricolor 200C.
<i>Desquamation</i>	Ammon Carb 200C, Vitamin A 200C.
- flaking in eczema and psoriasis	Ars Alb 200C.
<i>Diseases of the skin</i>	Agrimonia 30C, Kali Sulph 6X.
- bronchial asthma vicariating with	Ars Alb 200C.
- flexor sides of limbs, in	Graphites 200C.
<i>Dryness of skin</i>	Vitamin B 200C.
<i>Ecchymosis, tendency to</i>	Secale Cornutum 200C.
<i>Eczema</i>	Berberis Aquifolium Q, Cantharis Q (local application), Fagopyrum 30C, Penicillin 200C, Scrophularia Nodosa 200C, Sepia 200C,

	Thyroidinum 200C, Viola Tricolor 200C.
- acute	Vaccinium 200C.
- allergic	Natrum Pyruvicum 200C.
- arm, of the	Trichomonas Discharge 200C.
- back of hands, on	Bovista 30C, Muriatic Acid 200C.
- bronchial asthma and, vicariation effects between	Ars Alb 200C.
- burning of skin and itching with	Ars Alb 200C.
- chronic	Comocladia Dentata 200C, Ichthyolum Q (local application), Levico D12, Manganum Carb 200C, Merc Sol 200C, Psoriasis Nosode 200C, Sepia 200C, Sulphuric Acid 200C.
- chronic and anxiety states	Asthma Nosode 200C.
- eyelid, edges on, with scales and scabs	Graphites 200C.
- face of, in scrofulous children	Curare 200C.
- impetigo and	Bacillinum 200C.
- infantile	Morgan Pure 200C, Natrum Hypophos 200C.
- itching	Carbolic Acid 200C, Pix Liquida 200C.
- itching, head of	Graphites 200C.
- itching scalp of the	Cicuta Virosa 200C, Graphites 200C.
- itching violently at night	Psorinum 200C.
- redness intense, with	Croton Tiglium 200C.

- varicose	Alloxan 30C, Aristolochia 200C.
- weeping	Alumen D50.
- weeping, with scrofulous skin conditions	Lapis Albus 200C, Lycopodium 200C.
<i>Epitheliomas</i>	Condurango 200C.
- face of, with crusts	Kali Sulph 200C.
- cancer of skin	Ranunculus Bulbosus 200C.
<i>Erysipelas</i>	Belladonna 200C, Comocladia dentata 30C, Lycopodium 200C, Magnesia Sulphurica Q (local application), Mancinella 200C, Rhus Tox 200C, Rhus Veneta 200C, Vaccinium 200C.
- acute	Galium Aparine 200C.
- chronic, recurrent	Lappa Arctium 200C.
- malignant and swollen lymph glands	Bothrops Lanceolatus 200C.
- vesicles, with large	Euphorbium 200C.
<i>Erythema</i>	Belladonna 200C, Grindelia Robusta Q.
- acute or retoxically treated skin diseases	Zincum Sulph 200C.
- nodosum	Rhus Veneta 200C.
<i>Exfoliation (crusta lactea) dry, bran-like</i>	Ars Alb 200C, Dulcamara 200C.
<i>Expulsion of splinters</i>	Anagallis Q, Silicea 30C.
<i>Fissures</i>	Causticum 200C, Ratanhia 200C.
- bleed easily	Nitric acid 200C.
<i>Fistula, chronic</i>	Pyrogen 200C, Syphilinum 200C, Tuberculinum Koch 200C.

*Freckles with burning,
considerable itching*

Ammon Carb 200C.

Furunculosis

Lappa Arctium 200C, Staphylococcus 200C, Sulphur Iod 200C.

Herpes

- chronic

Alnus Q.

- labialis

Nat Mur 200C.

- labialis and stomatitis

Thuja Q.

- pemphigus and

Ranunculus Bulbosus 200C.

- recurring

Hedera Helix 200C, R.N.A. 200C.

- simplex

Vaccinium 200C.

- simplex, recurrent

Varicella Nosode 200C.

- zoster

Bacterium Proteus 200C, Cistus Canadensis 200C, Croton Tig 200C, Luffa Operculata 200C, Malandrinum 200C, Mezereum 200C, Rhus Tox 200C, Sycotic Co 200C, Vaccinium 200C, Variolinum 200C, Vaccinotoxinum 200C.

Herpetic Skin Disorders

Ranunculus Scleratus 200C.

Hyperesthesia

Lyssinum 200C, Tarentula 200C.

Hyperhidrosis

Carbolic Acid 200C, Bacterium Pyocyaneus 200C.

Ichthyosis

Lac-D 200C, Syphilinum 200C, Thyroidinum 200C, V.A.B. 200C.

Impetigo

Bacillinum 200C, Calc Mur 200C, Hepar Sulph 200C, Merc Sol 200C, Psorinum 200C, Silicea 200C, Staphylococcus 200C, Tuberculinum 200C, Variolinum 200C.

<i>Intertrigo</i>	Graphites 200C, Sulphur 200C, Zinc Oxide 6C (local application).
- infants, in	Chamomilla 200C.
- inguinal area, in	Bovista 200C.
<i>Keloid</i>	Carcinosin 200C, Graphites 200C, Malandrinum 200C, Psorinum 200C, Tuberculinum 200C, Vaccinium 200C, Vipera 200C.
<i>Lichen ruber planus</i>	Syphilinum 200C, Sulphur 200C.
<i>Liver Spot</i>	Curare 200C, Natrum Hyposulph 6C (local application), Thuja 200C.
<i>Lupus Vulgaris</i>	Aurum Iod 200C, Hydrocotyle Asiatica Q.
<i>Measles</i>	Belladonna 1M, Influenzinum 200C, Morbillinum 200C, Streptococcinum 200C, Tuberculinum 200C, Tuberculinum Aviare 200C, Zinc Met 200C.
- meningeal complications	Tuberculinum Aviare 200C.
- pulmonary complications	Tuberculinum Aviare 200C.
<i>Melanosis, idiopathic</i>	Chlorpromazine 200C.
<i>Molluscum</i>	Vaccinotoxinum 200C.
<i>Mycosis Fungoides</i>	Carbo Animalis 30C.
<i>Nail</i>	
- deformed and break easily	Thuja Q.
- ingrown and ulceration	Marum Verum 200C.
- malformation	Hydrocotyle Asiatica Q.
- mycoses	Graphites 200C.
- soft, brittle, cracked	Thuja Q.

- troubles	Castor Equi 30C.
<i>Neurodermatitis</i>	Sepia 200C, Sulphur 200C, Sulphuric Acid 200C.
<i>Offensive</i>	
- body odour	Psorinum 200C.
- foot sweat	Chloralum Q (local application).
<i>Papilloma</i>	Causticum 200C, Thuja Q.
<i>Pemphigus</i>	Caltha Q, Mancinella 200C, Ran Bulb 200C, Rhus Tox 200C, Syphilinum 200C.
- palms on the	Bufo 200C.
<i>Perspiration</i>	
- feet	Baryta Carb 200C, Calc Carb 200C, Psorinum 200C, Silicea 200C.
- feet and axillae	Tellurium 200C.
- hand	Calc Carb 200C, Thuja 200C.
- hand, cold	Nux Vom 200C.
- hand, foul-smelling	Petroleum 200C.
- increase in	Ammon Mur 200C.
- profuse, nocturnal	Sambucus Nigra 200C.
<i>Pityriasis</i>	Berberis Aquifolium Q, Chaulmoogra 200C, Nat Ars 200C.
- versicolor	Bacillinum 200C, Lycopodium 200C, Tellurium 200C.
<i>Poison Oak</i>	Cypripedium Q (local application), Erechthites Q (local application).
<i>Pruritus</i>	Menthol Q (local application), Naphthaline Q (local application).

- chronic	Hippuric Acid 200C.
<i>Psoriasis</i>	Ichthyolum Q (local application).
<i>Pyoderma</i>	Hepar Sulph 200C.
<i>Rash, allergic</i>	Galphimia Glauca 200C.
<i>Ringworm</i>	Oleum Jecoris Aselli Q (local application), Tellurium 200C.
- scalp	Chrysarobinum Q (local application).
<i>Scleroderma</i>	Sarcolactic Acid 200C, Sycotic Co 200C, Thyroidinum 200C, X-ray 200C.
<i>Seborrhoea</i>	Corticotrophin 200C, D.N.A. 200C.
<i>Tuberculide papules</i>	Majeptil 200C.
<i>Tumours, lipoma</i>	Bacillus No.10.200C, Medorrhinum 200C.
<i>Ulcers</i>	Alstonia Scholaris Q (local application), Geranium Maculatum Q (local application), Liatris Spicata Q (local application), Symphytum Q (local application), Zinc Oxide 6C (local application).
- decubitus	Fluoric Acid 200C, Hippozaeninum 200C, Pyrogen 200C.
- foul smelling	Carbolic Acid 1X (local application or as a wash).
- gangrenous	Natrum Pyruvicum 200C.
- indolent	Balsamum Peruvianum Q (local application).
- obstinate	Pyrogen 200C

<i>Urticaria</i>	Bacillus Gaertner 200C, Corticotrophin 200C, Dysentery Co 200C, Leprominum 200C, Thyroidinum 200C, Ustilago 200C.
- nervous	Histamine Hydrochloride 200C.
<i>Vesicles formation</i>	Succinic Acid 200C, Bovista 200C, Rhododendron 200C, Sepia 200C, Variolinum 200C.
- fingers on the	Ranunculus Bulbosus 200C.
- infectious disorders with	Fluoric Acid 200C.
- mucous membranes	Mezereum 30C.
- whole body, over the	Thuja 200C.
<i>Vitiligo</i>	Cobaltum Nitricum 200C, Hypophysis Posterium 200C, Mica 200C.
<i>Yellowish-brown exfoliating patches</i>	Sepia 1M.
<i>Warts</i>	Anagallis Q, Antim Crude 200C, Ficus Carica Q (local application), Penicillinum 200C, Sabina Q (local application), Sempervivum Tectorum Q (local application), Thuja Q (local application), X-ray 200C.
- fleshy, large	Dulcamara 200C.
- venereal	Nitric Acid 200C, Medorrhinum 200C, Thuja 200C.
<i>Waxy skin</i>	Acetic Acid 200C, Ars Alb 200C.

SLEEP

<i>Insomnia</i>	Aquilegia 200C, Avena Sativa Q, Conium 200C, Kali Phos 200C, Passiflora Incarnata Q, Phosphoric Acid 200C, Strychnine Nitricum 200C, Valeriana 200C.	Chil Colic Dwc
- deep depression with fear of becoming mentally ill	Cimicifuga 200C.	Fon clos
- nervous	Electricitas 200C.	Hyf
- sedative and tranquillizer	Melissa 200C.	Nei cor
- stubborn	Sulfaguanidinum 200C.	Scr ulc
- students, of	B.C.G. 200C.	Sw
- tiredness and	Cactus Q.	Tet
<i>Takes a long time to sleep</i>	D.N.A. 200C.	- d Wt ch

CHILD

<i>Children, intractable</i>	Para-Benzochinonum 200C.
<i>Colic abdominal, in children</i>	Cataria Nepeta Q.
<i>Dwarfish, emaciated babies</i>	Oleum Jecoris Aselli Q (local application - nightly rubbing).
<i>Fontanelles, delayed closure of</i>	Calc Carb 200C.
<i>Hypernervous and irritated</i>	Antim Crud 200C, Ascarides Nosode 200C.
<i>Neuropathic and dental complaints</i>	Calc Brom 200C.
<i>Scrofulous, with corneal ulcers and swollen tonsils</i>	Calc Iod 200C.
<i>Sweaty head of infants</i>	Calc Carb 200C.
<i>Teething troubles of infants</i>	Cicuta Virosa 200C.
<i>- diarrhoea with</i>	Podophyllum 200C.
<i>Walk, learning to, late in children</i>	Calc Carb 200C.

GENERALITIES

<i>Abscess of organs</i>	Anthracinum 200C, Paronichia Illecebrum 200C, Pyrogen 200C.
- chronic	Syphilinum 200C.
- discharge, bringing to	Myristica Sebifera 200C.
- fistula	Calc Sulph 200C.
- succession of	Syphilinum 200C.
<i>Adhesions</i>	Funiculus Umbilicalis 200C.
- complaints in	Peritoneum 200C.
- pleuritis after	Ranunculus Bulbosus 200C.
<i>Adnexitis</i>	Bacterium Coli 200C, Fluor Albus Nosode 200C, Natrum Oxalaceticum 200C.
<i>Ageing early</i>	Psorinum 200C.
<i>Air, sea and car sickness</i>	Cocculus 200C, Conium 200C.
<i>Alcohol, intolerance of</i>	Cerevisa 200C, Vinum Badense 200C.
<i>Alcoholism</i>	Acorn Kernels 200C, Agave 200C, Piscidia 200C, Tuberculinum 200C, Sulphuric Acid 200C, Syphilinum 200C.
- aggressive personality, in	Para-Benzochinonum 200C.
- alcohol abuse, consequences of	Nux Vom 200C.
- withdrawal symptoms in	Phosphorus 200C.
<i>Allergic Reactions</i>	Cutis Suis 200C, Fumaric Acid 200C, Galphimia 200C, Natrum Pyruvicum 200C, Sanguis 200C.

- antibiotics	Bacterium Coli 200C, Erythromycin 200C, Medorrhinum 200C, Penicillin 200C, Succinic Acid 200C, Sulphur 200C, Tetracycline 200C.
- citrus fruits	Medorrhinum 200C.
- cow's milk	Lac-Vac 200C, Tuberculinum 200C.
- detergents	Sycotic Co 200C.
- flour	Sycotic Co 200C.
- multiple	Carcinosin 200C.
- skin, of the	Histaminum 200C.
- sugar	Tuberculinum 200C.
<i>Anaphylactic states</i>	Tetanus Antitoxin 200C.
<i>Angioneurotic oedema</i>	Antipyrine 200C, Bacillus No.7.200C, Bacillus Proteus 200C.
<i>Bee sting</i>	Apis Mel 200C, Carbolic Acid 200C.
<i>Body weight, regulation of</i>	Thyroidinum 200C.
<i>Bone disorders</i>	Fluoric Acid 200C, Merc Praecipitatus Ruber 200C.
- accelerate healing	Calc Phos 200C.
- caries of mastoid bone	Nitric Acid 200C.
- caries, violent, nocturnal complaints, with	Asafoetida 200C.
- cysts	Syphilinum 200C.
- fistula	Calc Fluor 6X, Phosphorus 200C, Strontium Carb 200C, Succinic Acid 200C, Tuberculinum 200C.
- fractures	Arnica 200C, Symphytum 200C.

- fractures, condition after Osteomyelitis Nosode 200C.
- fractures, heal slow to Calc Phos 200C, D.N.A. 200C,
Succinic Acid 30C, Thyroidinum
200C.
- fractures, non union of Calc Ars 30C, Calc Iod 30C,
Thyroidinum 200C.
- fractures, pain at site of Symphytum 1M.
- fractures, stimulation of
callous formation in Calc Phos 200C.
- icy needle-like sensation Aranea Diadema 30C.
- injuries Symphytum 200C.
- necrosis of bones Medorrhinum 200C, Psorinum
200C, Tuberculinum 200C.
- ossification weak in
children Succinic Acid 200C.
- osteitis Asafoetida 30C.
- osteochondrosis Abrotanum 200C, Cortisone 200C,
Syphilinum 200C.
- osteogenesis imperfecta
tarda Parathyroidinum 200C.
- osteomyelitis Merc Sol 200C, Staphylococcus
200C.
- osteoporosis Cortisone 200C, Fluoric Acid 200C.
- pains Aurum Met 200C, Asafoetida 30C,
Eupatorium Per 200C, Merc I R
200C, Silicea 200C.
- periostitis Asafoetida 30C, Manganum Sulph
200C, Rhus Tox 200C.
- periostitis with sensitivity to
touch Mezereum 200C.
- rib pain, after pleuritis Abrotanum 30C.

suppuration after	
- ulcerated and painful	Rajania Subsamarata 200C.
<i>Cartilage</i>	
- rib cartilage, painful	Arg Met 200C.
- rib cartilage, third left, pain of the	Pix Liquida 200C.
<i>Catarrhal flow</i>	Achyranthes Aspera 6C, Aconite 200C, Ammonium Nit 200C, Azadarichta Indica 6C, Kali Sulph 6X, Luffa Operculata 200C, Natrum Caccodyl 30C, Sambucus Nigra 200C.
- acute	Arum Triphyllum 200C.
- chronic	Ammonium Iod 200C, Baryta Oxalsuccinica 200C.
- descending	Sanguinaria 200C.
<i>Collagen Disorders</i>	D.N.A. 200C, Funiculus Umbilicalis 200C, Penicillinum 200C, Sarothamnus Scoparius 200C.
<i>Collapse</i>	Agaricus Phalloides 200C, Carbo Veg 200C, Merc Cyanatus 200C, Veratrum 200C.
- dizziness and nausea, with	Cocculus 200C.
- heart beat, strong with	Convallaria Majalis 30C.
<i>Connective tissue</i>	
- function disturbances	Hypophysis 200C.
- inflammations	Rhus Tox 200C.
- suppuration	Calc Sulph 30C, Phosphorus 200C.
<i>Contracture</i>	
- aponeuroses	Tuberculinum 200C, Tuberculinum Residuum 200C.

- flexor muscles	Psorinum 200C, Syphilinum 200C.
- ligaments	Tuberculinum 200C.
- muscles	Tuberculinum 200C.
<i>Debility</i>	Baryta Iod 200C.
<i>Discharges fetid</i>	Cistus Canadensis Q (locally, as a wash).
<i>Disinfectant</i>	Cinnamonium Oil (aqueous solution), Echinacea Q (local application).
<i>Down's Syndrome</i>	Morgan Pure 200C, Nosode M 200C, Pertussin 200C, Toxoplasma Gondii 200C.
<i>Draught, great sensitivity to</i>	Medorrhinum 200C.
- sensitivity to contact, with	Cinchona 200C.
- slightest (causes pain)	Calc Phos 200C.
<i>Emaciation</i>	Calc Phos 200C, Cinchona 200C, Ferrum Ars 200C, Iodum 200C, Natrum Mur 200C.
- eating well, though	Iodum 200C.
- legs, beginning in	Abrotanum 200C, Pinus Silvestris 30C.
- organic cause without any	X-ray 200C.
- progressive, with loss of appetite	Calc Carb 200C.
- thinness; constitutional, especially tuberculous types	B.C.G. 200C.
- weakness general	Cubeba 30C.
<i>Energy, lack of</i>	Picric Acid 200C.
<i>Exhaustion</i>	Aletris Farinosa 30C, Ars Alb 200C,

	Cadmium Sulph 30C, Carbo Veg 200C, Coccus Indicus 200C, Ferrum Ars 200C, Ferrum Phos 200C, Senecio Aureus Q.
- coitus after	Kali Phos 200C.
- loss of vital energy in general, and also in neoplasm phases	Carbo Veg 200C.
<i>Exudate, serous</i>	Ars Alb 200C.
<i>Fibromas</i>	Fraxinus Americana Q, Funiculus Umbilicalis 200C.
<i>Fibrositis</i>	Formica D6.
<i>Fluid imbalance, water retention and obesity</i>	Hypothalamus 200C.
<i>Fluid, loss of</i>	Ars Alb 200C.
- exhaustion after	Phosphorus 200C.
<i>Fluid retention</i>	Cortisone 200C, Cynara Scolymus 200C, Kali Aceticum 200C, Solidago Virga Q.
- various origins, of	Apocynum Q.
<i>Food and Drinks</i>	
- acids, longing for	Conium 200C.
- acid and fatty food, intolerance of	Pulsatilla 200C.
- alcoholic drinks, longing for	Staphysagria 200C.
- beer, longing for	Phosphoric Acid 200C.
- beer, intolerance of	Alcohol 200C.
- bread, aversion to	Nitric Acid 200C.
- cold drinks with	Secale Cornutum 200C.

unquenchable thirst in
between, longing for

- disgust and aversion to Nux Vom 200C.
- fats and salt, longing for Nitric Acid 200C.
- fats and sour foods,
 intolerance of Pulsatilla 200C.
- fatty, acid, intolerant of Pulsatilla 200C.
- meat, aversion to Muriatic Acid 200C.
- milk, aggravates Carica Papaya Q.
- smell and sight of,
 aversion to Colchicum 200C, Vaccinium
 200C.
- tobacco, hypersensitivity
 to Asclepias Tuberosa 30C, Ignatia
 200C.
- warm drinks that are
 drunk in sips, longing for. Ars Alb 200C.

Gangrene

- Anthracinum 200C, Bothrops
 Lanceolatus 200C, Kreosote 200C,
 Echinacea Q, Lachesis 200C,
 Saccharum Officinale Q (local ap-
 plication).
- circulatory disorders with Aesculus 200C, Natrum Pyruvicum
 200C.
- diabetic Natrum Pyruvicum 200C, Secale
 Cornutum 200C.
- dry Leprominium 200C, Psorinum
 200C.
- inflammation and sepsis
 with Crotalus 200C.
- moist Vipera Torva 200C.
- pains in Ars Alb 200C, Stramonium 200C.
- raynaud's gangrene Secale Cor 30C.

- senile	Adrenalin 200C, Ergot 200C, Secale Cor 200C, Vipera Torva 200C.
- wet	Anthracinum 200C.
<i>Genital Adipose Syndrome</i>	Corticotrophin 200C.
<i>Glands</i>	
- hardening	Lapis Albus 200C.
- lymphatic	Pyrogen 200C.
- lymphatic, bead-like	Tuberculinum 200C.
- lymphatic, enlarged	Streptococcinum 200C, Syphilinum 200C, Tuberculinum 200C.
- mesenteric	Toxoplasma Gondii 200C.
- non-suppurative	Toxoplasma Gondii 200C.
- swelling	Bromium 200C, Calc Ars 200C, Calc Carb 200C, Cistus Can 200C, Iodium 200C, Spongia 200C, Thuja 200C.
- swelling, scrofulosis	Baryta Iod 200C, Calc Chlor 200C, Chamomilla 200C, Ferrum Iod 200C.
<i>Growth and development disorders</i>	Thymus Gland 200C, Hypothalamus 200C.
- weakness of muscles and joints in children	Abrotanum 200C.
<i>Hangover</i>	Platinum Mur 200C.
<i>Heat Stroke</i>	Amyl Nitrosum 200C, Cortisone 200C.
- consequences of	Melilotus Officinalis 200C.
<i>Hot flushes</i>	Amyl Nitrosum 200C, Sulphuric Acid 200C.

<i>Infection, anaerobic acute</i>	Pyrogen 200C.
<i>Infectious diseases</i>	Aconite 200C, Belladonna 200C, Echinacea Ang Q, Natrum Oxalaceticum 200C.
- chronic, lingering	Medorrhinum 200C.
- development difficult, with	DI-Malicum Acid 200C.
<i>Inflammation</i>	Echinacea Ang Q.
- chronic	Kali Phos 200C.
- connective tissue, of	Rhus Tox 200C.
- gangrene and sepsis, with	Crotalus Hor 200C.
- surface (erysipelas)	Belladonna 200C.
<i>Iodine deficiency symptoms</i>	Calc Iod 200C, Fucus Vesiculosus Q, Silicea 200C, Spongia 200C, Thyroidinum 200C.
<i>Jarring</i>	
- aggravation due to contact and	Belladonna 200C.
- sensitivity to	Apis Mell 200C.
<i>Laxative misuse</i>	Bacterium Pyocyaneus 200C, Nux Vom 200C.
<i>Lymphatic system</i>	
- disturbance of	Calc Carb 200C.
<i>Marasmus</i>	Abrotanum 200C, Zinc Met 200C.
<i>Mediastinum, peculiar pain in</i>	Gaultheria Procumbens 200C.
<i>Mononucleosis</i>	Calendula Q (gargles).
<i>Mucocutaneous borders, ulceration and fissures of the</i>	Nitric Acid 200C, Paeonia Officinalis Q.

<i>Mucosal Catarrh</i>	Aconite 200C, Myrica Cerifera Q, Sulphuric Acid 200C.
- general	Betula Alba 200C.
<i>Nervous illnesses, organic</i>	Natrum Pyruvicum 200C, Serotonin 200C.
<i>Neurasthenia</i>	Ambra Grisea 200C, Arg Nit 200C, Damiana Q, Kali Phos 200X, Picric Acid 200C, Zinc Picricum 200C.
<i>Nicotine abuse, consequences of</i>	Nux Vom 200C.
<i>Obesity</i>	Carlsbad Q.
- constitutional	Calc Carb 200C.
- endocrinal	Cimicifuga 200C, Hypothalamus 200C, Pituitrin 200C.
- flabby	Lac-D 200C.
<i>Oedema or Dropsy</i>	Aegle Folia Q, Ammon Benz 200C, Apis Mel 200C, Apocynum Q, Cortisone 30C, Digitalis Q, Helleborus 200C, Hippozaeninum 200C, Lac-D 200C, Medorrhinum 200C, Psorinum 200C.
- acute, inflammatory	Apis Mel 200C.
- angioneurotic	Antipyrine 30C, Bacterium Proteus 200C.
- bronchial asthma, with	Antim Ars 200C.
- cardiac	Crataegus Q, Lac-D 200C.
- cardiorenal	Asclepias Syriaca Q, Rauwolfia Serpentina 6C, Scilla 200C.
- eyelids and face, of	Ammon Benz 200C.
- eyelids upper, of	Kali Carb 200C.

- hepatic	Asclepias Syriaca Q, Lac-D 200C.
- legs of	Ferrum Met 200C.
- nephropathies with	Apocynum Q.
- renal	Lac-D 200C, Cortisone 200C, Vaccinotoxinum 200C.
<i>Old age complaints</i>	Conium 200C, Fluoric Acid 200C, Galium Aparine 200C.
<i>Orifices of the body</i>	
- fissures at all	Graphites 200C.
<i>Papilloma</i>	Beryllium Met 200C.
<i>Polyps</i>	Calc Iod 200C, Lemna Minor 6C, Medorrhinum 200C.
- mucosal	Bellis Perennis 200C, Calc Carb 1M.
<i>Radiation Injury</i>	
- x-rays and radium by	Causticum 200C.
<i>Resistance to infection, lessened</i>	Cortisone 30C.
<i>Rheumatism of the chest muscles and intercostal neuralgia</i>	Tanunculus Bulb 200C.
<i>Scheuermann's disease</i>	Fluoric Acid 200C, Para- benzochinonum 200C.
<i>Scleroderma</i>	Thyroidinum 200C.
<i>Scrofula</i>	Abrotanum 200C, Bacillinum 200C, Calc Carb 200C, Kali Carb 200C, Kali Iod 30C, Silicea 200C, Sulphur 200C.
<i>Septicemia</i>	Hydrophis Cyanocinctus 200C, Penicillin 200C.
- gram negative	Streptomycin 200C.

- neonatal	Toxoplasma Gondii 200C.
- septic conditions	Anthraxinum 200C, Arnica 200C, China Ars 3X, Echinacea Q, Hepar Sulph 1M, Indol 200C, Lachesis 200C, Pyrogen 200C, Skatol 200C, Vaccinium 200C, Variolinum 200C.
<i>Sjogren's Syndrome</i>	Tuberculinum Marmorek 200C.
<i>Smoke, hypersensitivity to</i>	Ignatia 200C.
<i>Spring aggravates</i>	Crotalus 200C.
<i>Stein-Leventhal Syndrome</i>	Corticotrophin 200C.
<i>Suppuration, to promote</i>	Myristica 200C.
- pus viscous and thin, foul-smelling	Asafoetida 30C.
<i>Uraemia</i>	Sulfanilamide 200C.
- chronic	Botulinum 200C.
<i>Volkman's Syndrome</i>	Tuberculinum Residuum 200C.
<i>Weakness</i>	
- lack of strength, with	Selenium 200C.
- physical	Baryta Carb 30C.
<i>Wounds</i>	Arnica 200C, Calendula Q, Hamamelis Q.
- difficult to heal	Calendula Off Q (local application), Cortisone 30C.
- small, bleeding	Kreosote 200C, Phosphorus 200C.
- suppurating	Aristolochia Clematis Q, Echinacea Q.

DR. FAROKH J. MASTER M.D. (Hom.)

Professor Dr. Farokh J. Master is a Professor of Medicine, Bombay University; an examiner in Bombay, Delhi, Calcutta, Pune University. He is a Medical Inspector and nominated member of the Central Council of Homoeopathy. (Govt. of India). A gold medallist at the L.C.E.H. Examination and secured a distinction and stood first in his M.D. Examination in Homoeopathy from the University of Rajasthan. He is in the teaching profession since 18 years and a visiting professor at various institutions abroad. He has authored several books in homoeopathy and his articles regularly appear in reputed homoeopathic journals and papers. Many scientific papers have been presented by him in National and International Seminars. He is a Honorary Consultant Physician at the Bombay Hospital, B. D. Petit Parsee General Hospital and The Times of India.

DR. JAWAHAR SHAH L.C.E.H. (Bom.)

Dr. Jawahar Shah is a Graduate from Bombay Homoeopathic Medical College and a Post Graduate student from the Institute of Clinical Research, Bombay. He can be truly called as the "Hahnemann of Homoeopathic Computer Science in India". For the very first time, he has introduced software HOMPATh into the homoeopathic profession, author of a very popular book in Homoeopathic Repertory, known as Cross-References in Mind. He has been a Professor and an International Teacher for over a decade.

DR. BALWANT WIG B.A., D.H.M.S.

Dr. Balwant Wig is one of the oldest physicians in the city of Toronto. He was educated under stalwarts of Homoeopathy like Dr. Jugal Kishore and Dr. Diwan Harishchand. He has trained more than a thousand doctors in Canada. He is a qualified, registered homoeopathic doctor from the Hahnemann College of Homoeopathy Canada. He still practices in the city of Toronto and teaches worldwide.

DR. PIROJA BHARUCHA B.H.M.S. (Bom.)

Dr. Piroja Bharucha is a graduate in homoeopathy from the Bombay University working with Dr. Farokh J. Master since 1993. Jointly, she has edited several publications, most important being. Agitated Argentums, Sandy Silicea, Ammoniums the Sour Prunes, Naja Naja Naja, Snakes in Homoeopathic Grass, Suppressed Staphysagria, Diseases of the Skin and many more.